



Purchasing Division  
P.O. Box 2059  
Prescott, AZ 86301

Phone: 928-777-1203  
Fax: 928-777-1234  
Tdd: 928-777-1100  
dawn.foster@prescott-az.gov

February 16, 2012

**ALL PROSPECTIVE BIDDERS**

Subject: ADDENDUM No. 1  
BID Solicitation Number: 12PPD0033

Notice is hereby given that certain sections contained in the above referenced solicitation are being amended, clarified, and/or deleted and are identified as Addendum No. 1 and attached hereto.

THEREFORE: All bidders are required to indicate receipt of Addendum No. 1 via signed copy or acknowledgment of said document on bidder's letterhead submitted with bid.

Should you have any questions, please contact the Purchasing Manager, Dawn Foster, at 928-777-1203.

Sincerely,

Dawn M. Foster

Attachments

Specifications shall be revised as follows:

1.1 General Requirements

- 1.1.4. All posts shall be located approximately every 10 ft.
- 1.1.5. Contractor shall pay for and obtain all necessary permits.

1.2 Chain Link Specifications

- 1.2.1. Link shall be medium strength, 11 Gauge
- 1.2.2. Line post shall be 2-3/8" O.D. schedule 20.
- 1.2.3. Corner post shall be 2-7/8" O.D. schedule 20.
- 1.2.4. Fence shall have a 15/8 O.D. schedule 20 top rail and 9 gauge tension wire on bottom.
- 1.2.5 Fence shall have a 3-strand barbed wire across the entire top of the fence.

1.3 Gate Specifications

- 1.3.1. All gates shall be 6 ft. high
- 1.3.2. All gate materials shall be the same as the surrounding fence (ie. medium strength chain link).
- 1.3.3. Pedestrian gates shall be medium strength chain link and 3 ft. wide (total of 2 pedestrian gates).
- 1.3.4. Swing gate shall be medium strength chain link and 16 ft. wide with 3-strand barbed wire across the entire top of the gate.
- 1.3.5 Line post footings should be 10" x 30"
- 1.3.6 Corner post footing should be 12" x 36"

All other terms and conditions remain the same.