



City of Prescott  
Purchasing Services  
216 S. Marina St., Suite 202  
Prescott, AZ 86303-3929

Bid 07ADM0030  
FY08 Light Vehicles

The City of Prescott is soliciting bids for the purchase of FY08 light vehicles. Sealed bids (one (1) original and two (2) copies) shall be opened on Monday, June 4, 2007 at the time and place indicated in Section 2.2.

### Table of Contents

<a href="#">1.0 Solicitation Specifications/Scope of Work</a>	2
<a href="#">2.0 Solicitation Process Requirements</a>	2
<a href="#">3.0 General Contract Terms and Conditions</a>	5
<a href="#">4.0 Standard Bid Information</a>	8
<a href="#">5.0 Instructions for Submittal Forms</a>	8
<a href="#">Form A – Solicitation Response Cover Sheet</a>	10
<a href="#">Form B – Price Sheet</a>	11
<a href="#">Form C – Bid Certification</a>	12
<a href="#">Form D – Non-Collusion Certificate</a>	13
<a href="#">Form E – Contractor Questionnaire</a>	14
<a href="#">Form F – Certificate of Ownership</a>	15
<a href="#">Form G – Bidder Optional Information</a>	16
<a href="#">Form H – Bidder Qualifications, Representations and Warranties</a>	17

## 1.0 Solicitation Specifications/Scope of Work

### 1.1 Overview

The City of Prescott is soliciting bids for the purchase of its FY08 light vehicle requirements. We are requesting per unit pricing however at this time we do not know the exact quantity of each vehicle that will be approved for purchase by City Council. For a complete listing of all vehicle specifications please see Exhibit A at the end of this document.

## 2.0 Solicitation Process Requirements

- 2.1. **Communications with the City:** All communications regarding this solicitation must be directed in writing to the Purchasing Division. Unless authorized by the Purchasing Manager, no other City official or employee is empowered to speak for the City with respect to this solicitation. Bidders are advised that the City shall not be bound by information, clarifications, or interpretations from other City officials or employees. Bidders are cautioned against contacting any City official or employee other than the Buyer for this solicitation. Failure to observe this requirement may be grounds for rejection of Bidder's bid. The City's buyer for this solicitation is:

Dawn M. Foster, Purchasing Manager  
City of Prescott  
Purchasing Services Division  
Fax: 928-777-1241  
E-mail: purchasing@cityofprescott.net

### 2.2. Schedule

- 2.2.1. **Solicitation Advertisement**  
Sunday May 13, 2007
- 2.2.2. **Deadline for Questions**  
Wednesday, May 30, 2007 COB
- 2.2.3. **Deadline for Issuance of Addenda via fax or e-mail**  
Thursday, May 31, 2007 COB
- 2.2.4. **Bids Due (one (1) original and two (2) copies)**  
Monday, June 4, 2007 at 2:00 pm  
Office of the City Clerk  
201 S. Cortez St.  
Prescott, AZ 86302
- 2.2.5. **Bid Opening**  
Monday, June 4, 2007 at 2:00 p.m.  
City of Prescott  
City Council Chambers  
201 S. Cortez St.  
Prescott, AZ 86302

### 2.3. Pre-Bid Conference

If indicated in Section 2.2 above, a pre-bid conference will be held for this solicitation. The purpose of the pre-bid conference is to provide Bidders with an opportunity to obtain clarification of this solicitation. Bidders are encouraged to submit questions, comments and requests in writing to the City's Buyer prior to the pre-bid conference.

Attendance at the pre-bid conference may be optional or mandatory as indicated in Section 2.2 above. If the pre-bid conference is mandatory, failure to attend will preclude a Bidder from submitting a bid. Failure to attend optional pre-bid conferences will not preclude a Bidder from submitting a bid.

### 2.4. Letter of Interest

Bidders wishing to receive addenda to this solicitation, answers to questions posed by other Bidders, and related information shall submit a Letter of Interest to the City's Buyer in person or by fax or email.

The purpose of the Letter of Interest is to ensure Bidders receive all solicitation addenda, answers to

questions posed by Bidders, and other related information. The City will consider this letter as an interest to bid only, without further obligation to the Bidder. The Letter of Interest must designate the office, employee or agent who will be the Bidder's contact for all communications regarding this acquisition. The following information should be provided for this individual:

Name

Title

Company Name

Mailing Address

Telephone Number

Fax Number

Email Address

**2.5. Questions and Requests for Addenda**

Bidders who have questions about or suggestions for changes to this solicitation may direct them to the City's Buyer in writing by fax or email. Questions and requests for addenda must be received by the City's Buyer no later than the date and time listed in Section 2.2. Questions received after this time will not be considered or answered. Failure by a Bidder to request clarification of any inadequacy, omission or conflict shall not relieve the Bidder of the responsibility of being in compliance with the solicitation.

**2.6. City Answers and Addenda**

Changes to this solicitation will be made only by formal written addenda issued by the City's Buyer. Any such addenda and City answers to questions will be issued no later than the date and time listed in Section 2.2. Addenda and City answers will be emailed or faxed to all Bidders who submitted a letter of interest. Changes to this solicitation may be made by the City if, in the sole judgment of the City, the changes will not compromise the City's objectives in this acquisition. All addenda issued by the City shall become a part of the specifications of this solicitation, and will be made part of the resulting agreement.

**2.7. Proprietary Material**

A Bidder shall clearly mark any proprietary information contained in its bid with the words "proprietary information." Bidder shall not mark any Solicitation Form as proprietary. Marking all or nearly all of a bid as proprietary may result in rejection of the bid. Bidders should be aware that the City is required by law to make its records available for public inspection. The Bidder, by submission of materials marked proprietary, acknowledges and agrees that the City will have no obligation to advocate for non-disclosure in any forum or any liability to the Bidder in the event that the City must legally disclose these materials.

**2.8. Multiple Bids**

A Bidder may submit multiple bids for any solicitation however, each bid must be submitted separately (in its own complete package) from the others.

**2.9. Delivery of Bids**

Sealed bids (one (1) original and two (2) copies) must be received at the Office of the City Clerk no later than the date and time listed in Section 2.2. The bids will be opened and read publicly in the Council Chambers at that time.

If the bid is delivered by the U.S. Postal Service, the bid should be addressed to:

Elizabeth A. Burke, City Clerk  
City of Prescott  
PO Box 2059  
Prescott, AZ 86302

If the bid is delivered by an entity other than the U.S. Postal Service, the bid should be addressed to:

Elizabeth A. Burke, City Clerk  
City of Prescott  
201 S. Cortez St.  
Prescott, AZ 86303

Bidder shall enclose bid (one (1) original and two (2) copies) in a sealed envelope. The envelope should identify the Bidder's name, mailing address, Solicitation and Title, and the time and date of opening. The City shall not consider late bids, telegraphic (fax) or telephone bids. Bidder is solely

responsible for ensuring that bids are delivered on time. Delays caused by any delivery service, including the U.S. Postal Service, will not be grounds for an extension of the deadline for receipt of bids. Bids received after the deadline will be returned unopened.

**2.10. Cost of Bids**

The City shall not be liable for any costs incurred by Bidder in the preparation and submittal of a bid(s) in response to the solicitation or in the participation of any part of the acquisition process.

**2.11. Errors in Bids**

Bidder is responsible for all errors or omission in their bids, and any such errors or omission will not serve to diminish their obligations to the City.

**2.12. Withdrawal of Bids**

A bid may be withdrawn by written request of the Bidder prior to the bid due date and time listed in Section 2.2. No bid may be withdrawn for a period of 120 calendar days after the bid due date and time.

**2.13. Changes in Bids**

Prior to the bid due date and time listed in Section 2.2, a Bidder may make changes to its bid provided the change is initialed and dated by the Bidder. Corrections and/or modifications received after the closing time specified will not be accepted.

**2.14. Rejection of Bids**

The City reserves the right to reject any and all bids and to waive any immaterial defects and irregularities in bids.

**2.15. Disposition of Bids**

All materials submitted in response to the solicitation, including samples, shall become the property of the City upon delivery to the City.

**2.16. Incorporation of Solicitation and Response in Agreement**

This solicitation, including all attachments and addenda, and all promises, warranties, commitments and representations in the successful bid shall be binding and shall become obligations of the agreement.

**2.17. Protests**

Any protest of a notice that a bid is non-responsive must be filed by 5:00 p.m. on the third business day after such notification. All such protests shall be in writing, contain a complete statement of the grounds for protest, and be filed with the Purchasing Manager, PO Box 2059, Prescott, AZ 86302, FAX 928-777-1234. Protesting parties must demonstrate as part of their protest that they made every reasonable effort within the schedule and procedures of this solicitation to resolve the basis or bases of their protest during the solicitation process, including asking questions, seeking clarifications, requesting addenda, and otherwise alerting the City to perceived problems so that corrective action could be taken prior to the selection of the Apparent Successful Bidder(s). The City will not consider any protest based on items which could have been or should have been raised prior to the deadline for submitting questions or requesting addenda. The filing of a protest shall not prevent the City from executing an agreement with any other bidder.

**2.18. Bid Submittal**

Bid (one (1) original and two (2) copies) must be sealed and the envelope must clearly indicate the information as described in Section 2.9. Bidder must fully complete and submit the following documents:

- 2.18.1. Bid Form A - Bidder Response Cover Sheet
- 2.18.2. Bid Form B - Price Sheet
- 2.18.3. Bid Form C - Bid Certification
- 2.18.4. Bid Form D - Non-Collusion Certificate
- 2.18.5. Bid Form E – Contractor Questionnaire
- 2.18.6. Bid Form F – Certificate of Ownership
- 2.18.7. Bid Form G – Bidder Optional Information
- 2.18.8. Bid Form H – Bidder Qualifications, Representations and Warranties

**3.0 General Contract Terms and Conditions**

- 3.1. **Entire Agreement**: This contract, including all attachments referenced herein, constitutes the entire agreement between the City and the Contractor. The City's RFQ/RFP, all addenda to the RFQ/RFP, and the Contractor's response to the RFQ/RFP are explicitly included in this contract. Where there is any conflict among or between any of these documents, the controlling document

- shall be the first listed in the following sequence: the most recently issued Contract amendment; the Contract; the most recently issued addendum to the City's RFQ/RFP; the City's RFQ/RFP; and the Contractor's response to the RFQ/RFP.
- 3.2. **Term:** The term of this Contract shall commence on the date the City's Purchasing Agent signs the same and shall expire as stated within the Contract.
  - 3.3. **Freight:** Prices include freight prepaid and allowed. The Contractor assumes the risk of every increase, and receives the benefit of every decrease, in delivery rates and charges.
  - 3.4. **Title:** Prices are F.O.B. destination. Title to items and risk of loss remain with Contractor until City receives items at the delivery point.
  - 3.5. **Overages/Undergoes:** Shipments shall correspond with the Contract; any unauthorized advance or excess shipment is returnable at Contractor's expense.
  - 3.6. **Schedule:** Unless the City's Purchasing Agent requests a change in schedule, the Contractor shall deliver the items or render the services as stated in the Contract. At the City's option, the Contractor's failure to timely deliver or perform may require expedited shipping at the Contractor's expense, or may be cause for termination of the Contract and the return of all or part of the items at the Contractor's expense. If the Contractor anticipates difficulty in meeting the schedule, the Contractor shall promptly notify the City's Purchasing Agent of such difficulty and the length of the anticipated delay.
  - 3.7. **Payment:** Invoices will be paid according to early payment discount terms, or if no early payment discount is offered, thirty (30) days after the City's receipt and acceptance of the goods or completion and acceptance of the services. Payment periods will be computed from either the date of delivery of all goods ordered, the completion of all services, or the date of receipt of a correct invoice, whichever date is later. This section is not intended to restrict partial payments that are specified in the contract. No payment shall be due prior to the City's receipt and acceptance of the items identified in the invoice therefore.
  - 3.8. **Unlawful Overcharges:** The Contractor assigns to the City all claims for anti-trust violations and overcharges relating to items purchased by the City.
  - 3.9. **Price Warranty:** The Contractor warrants that the prices for the items sold to the City hereunder are not less favorable than those currently extended to any other customer for the same or similar items in similar quantities. The Contractor warrants that prices shown on this Contract are complete, and that no additional charge of any type shall be added without the City's express written consent.
  - 3.10. **Warranties:** The Contractor warrants that all goods are merchantable, comply with the City's latest drawings and specifications, and are fit for the City's intended use; all goods comply with all applicable safety and health standards established for such products; all goods are properly packaged; and all appropriate instructions or warnings are supplied.
  - 3.11. **Date Warranty:** Vendor warrants that all Software provided under this Contract: (i) does not have a life expectancy limited by date or time format; (ii) will correctly record, store, process, and present calendar dates; (iii) will lose no functionality, data integrity, or performance with respect to any date; and (iv) will be interoperable with other software used by Purchaser that may deliver date records from the Software, or interact with date records of the Software ("Date Warranty"). In the event a Date Warranty problem is reported to Vendor by Purchaser and such problem remains unresolved after three (3) calendar days, at Purchaser's discretion, Vendor shall send, at Vendor's sole expense, at least one (1) qualified and knowledgeable representative to Purchaser's premises. This representative will continue to address and work to remedy the failure, malfunction, defect, or nonconformity on Purchaser's premises. This Date Warranty shall last perpetually. In the event of a breach of any of these representations and warranties, Vendor shall indemnify and hold harmless Purchaser from and against any and all harm, injury, damages, costs, and expenses incurred by Purchaser arising out of said breach.
  - 3.12. **Equal Employment Opportunity:** During the term of this Contract, the Contractor agrees as follows: The Contractor will not discriminate against any employee or applicant for employment because of creed, religion, race, color, sex, marital status, sexual orientation, gender identity, political ideology, ancestry, national origin, or the presence of any sensory, mental or physical handicap, unless based upon a bona fide occupational qualification. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their creed, religion, race, color, sex, national origin, or the presence of any sensory, mental or physical handicap. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training,

- including apprenticeship.
- 3.13. **Diversity:** The City encourages the Contractor to employ a workforce reflective of the region's diversity.
- 3.14. **Discrimination in Contracting:** The Contractor shall not create barriers to open and fair opportunities for subcontractors and suppliers in obtaining or competing for contracts and subcontracts as sources of supplies, equipment, construction and services. In considering offers from and doing business with subcontractors and suppliers, the Contractor shall not discriminate on the basis of race, color, creed, religion, sex, age, nationality, marital status, sexual orientation or the presence of any mental or physical disability in an otherwise qualified disabled person.
- 3.15. **Record-Keeping:** The Contractor shall maintain, for at least 12 months after expiration or earlier termination of the term of this Contract, relevant records and information necessary to document the Contractor's utilization of other businesses as subcontractors and suppliers in this contract and in its overall public and private business activities. The Contractor shall also maintain all written quotes, bids, estimates, or proposals submitted to the Contractor by all businesses seeking to participate as subcontractors or suppliers in the contract. The City shall have the right to inspect and copy such records. If this Contract involves federal funds, the Contractor shall comply with all record-keeping requirements set forth in every applicable federal rule, regulation and statute referenced in the contract documents.
- 3.16. **Publicity:** The Contractor shall not advertise or publish the fact that the City has contracted to purchase items from the Contractor without the City's prior written approval.
- 3.17. **Proprietary and Confidential Information:** The Contractor acknowledges that the City is required by law to make its records available for public inspection, with certain exceptions. City staff believes that this legal obligation would not require the disclosure of proprietary descriptive information that contains valuable designs, drawings or formulas. The Contractor, by submission of materials marked proprietary and confidential, nevertheless acknowledges and agrees that the City will have no obligation or any liability to the Contractor in the event that the City must disclose these materials by law.
- 3.18. **Indemnification:** To the extent permitted by law, the Contractor shall protect, defend, indemnify and hold the City harmless from and against all claims, demands, damages, costs, actions and causes of actions, liabilities, judgments, expenses and attorney fees, resulting from the injury or death of any person or the damage to or destruction of property, or the infringement of any patent, copyright, or trademark, arising out of the work performed or goods provided under this Contract, or the Contractor's violation of any law, ordinance or regulation, except for damages resulting from the sole negligence of the City.
- 3.19. **Insurance:** The Contractor shall secure and maintain, at all times during the term of this Contract, at its own expense, a policy or policies of insurance known as:
- 3.19.1. **Commercial General Liability** written on an insurance industry standard occurrence form (ISO form CG 00 01) or equivalent including premises/operations, products/completed operations, personal/advertising injury, contractual liability, and independent contractors liability;
- 3.19.2. If any vehicle is used in the performance of this Contract, a policy of **Business Automobile Liability** written on an insurance industry standard form (ISO form CA 00 01) or equivalent, including coverage for owned, non-owned, leased or hired vehicles; and
- 3.19.3. If any work under this Contract will be performed by a resident of the state of Arizona, **Worker's Compensation** ("Industrial Insurance") as required by the State of Arizona. The insurance as provided under items 3.19.1 and 3.19.2 above shall be endorsed to include The City of Prescott, its officers, elected officials, employees, agents and volunteers as an **Additional Insured** per ISO form CG2010 11/85 or CG2026 or equivalent, and to not permit reduction or cancellation by the insurer without forty-five (45) days prior written notice to the City. The Contractor's insurance shall be primary as respects the City, and any other insurance maintained by the City shall be excess and non-contributing with the Contractor's insurance.
- 3.20. **Compliance with Law:** The Contractor, at its sole cost and expense, shall perform and comply with all applicable laws of the United States and the State of Arizona; the Charter, Municipal Code, and ordinances of The City of Prescott; and rules, regulations, orders, and directives of their respective administrative agencies and officers.
- 3.21. **Licenses and Similar Authorizations:** The Contractor, at no expense to the City, shall secure and maintain in full force and effect during the term of this Contract all required licenses, permits, and similar legal authorizations, and comply with all related requirements.

- 3.22. **Taxes:** The Contractor shall pay, before delinquency, all taxes, levies, and assessments arising from its activities and undertakings under this Contract; taxes levied on its property, equipment and improvements; and taxes on the Contractor's interest in this Contract.
- 3.23. **Americans with Disabilities Act:** The Contractor shall comply with all applicable provisions of the Americans with Disabilities Act of 1990 (ADA) in performing its obligations under this Contract. In particular, if the Contractor is providing services, programs, or activities to City employees or members of the public as part of this Contract, the Contractor shall not deny participation or the benefits of such services, programs, or activities to people with disabilities on the basis of such disability. Failure to comply with the provisions of the ADA shall be a material breach of, and grounds for the immediate termination of, this Contract.
- 3.24. **Adjustments:** The City's Purchasing Agent at any time may make reasonable changes in the place of delivery, installation or inspection; the method of shipment or packing; labeling and identification; and ancillary matters that Contractor may accommodate without substantial additional expense to the City.
- 3.25. **Amendments:** Except for adjustments authorized above, modifications or amendments to the Contract may only be made by a change order or by written document signed by or for both parties. Unless Contractor is otherwise notified, the City's Purchasing Agent shall be the City's authorized agent.
- 3.26. **Assignment:** Neither party shall assign any right or interest nor delegate any obligation owed without the written consent of the other, except Contractor may assign the proceeds of this Contract for the benefit of creditors upon 21 days advance written notice to the City.
- 3.27. **Binding Effect:** The provisions, covenants and conditions in this Contract apply to bind the parties, their legal heirs, representatives, successors, and assigns.
- 3.28. **Waiver:** The City's failure to insist on performance of any of the terms or conditions herein or to exercise any right or privilege or the City's waiver of any breach hereunder shall not thereafter waive any other term, condition, or privilege, whether of the same or similar type.
- 3.29. **Applicable Law:** This Contract shall be construed under the laws of the State of Arizona. The venue for any action relating to this Contract shall be in the Superior Court for Yavapai County, State of Arizona.
- 3.30. **Remedies Cumulative:** Remedies under this Contract are cumulative; the use of one remedy shall not be taken to exclude or waive the right to use another.
- 3.31. **Severability:** Any invalidity, in whole or in part, of any provision of this Contract shall not affect the validity of any other of its provisions.
- 3.32. **Gratuities:** The City may, by written notice to the Contractor, terminate Contractor's right to proceed under this Contract upon one (1) calendar day's notice, if the City finds that any gratuity in the form of entertainment, a gift, or otherwise was offered or given by the Contractor or any agent thereof to any City official, officer or employee.
- 3.33. **Termination:**
- 3.33.1. **For Cause:** Either party may terminate this Contract in the event the other fails to perform its obligations as described herein, and such failure has not been corrected to the reasonable satisfaction of the other in a timely manner after notice of breach has been provided to such other party.
- 3.33.2. **For Reasons Beyond Reasonable Control of a Party:** Either party may terminate this Contract without recourse by the other where performance is rendered impossible or impracticable for reasons beyond such party's reasonable control such as but not limited to an act of nature; war or warlike operations; civil commotion; riot; labor dispute including strike, walkout, or lockout; sabotage; or superior governmental regulation or control.
- 3.33.3. **For Public Convenience:** The City may terminate this Contract in whole or in part whenever the City determines that such termination is in its best interest (including but not limited to for lack of continuing appropriations). In such a case the Contractor shall be paid for all items accepted by the City.
- 3.33.4. **Notice:** Notice of termination shall be given by the party terminating this Agreement to the other not less than ten (10) working days prior to the effective date of termination.
- 3.34. **Major Emergencies or Disasters:** The following provision shall be in effect only during major emergencies or disasters. The City is committed to preparing thoroughly for any major emergency or disaster situation. As part of its commitment, the City is contracting with the Contractor under the following terms and conditions: Contractor shall provide to the City, upon the City's request, such

goods and/or services at such time as the City determines. In the event the Contractor is unable to meet the delivery date commitment due to circumstances beyond the reasonable control of the Contractor, the Contractor shall make such delivery as soon as practicable. If the Contractor is prevented from making such delivery to the requested delivery location due to circumstances beyond its reasonable control, the Contractor shall immediately assist the City in whatever manner is reasonable to gain access to such goods and/or services. In the event that the Contractor is unable to provide such goods and/or services as requested by the City, the Contractor may offer to the City limited substitutions for its consideration and shall provide such substitutions to the City as required above, provided the Contractor has obtained prior approval from the City for such substitution. The Contractor shall charge the City the price determined in this Contract for the goods and services provided, and if no price has been determined, it shall charge the City a price that is normally charged for such goods and/or services (such as listed prices for items in stock). In the event that the City's request results in the Contractor incurring unavoidable additional costs and causes the Contractor to increase prices in order to obtain a fair rate of return, the Contractor shall provide the City with appropriate documentation of the additional costs. The Contractor acknowledges that the City is procuring such goods and/or services for the benefit of the public. The Contractor, in support of public good purposes, shall consider the City as a customer of first priority and shall make its best effort to provide to the City the requested goods and/or services in a timely manner. For purposes of this Contract, a "major emergency" or "disaster" shall include, but is not limited to a storm, high wind, earthquake, flood, hazardous material release, transportation mishap, and loss of any utility service, fire, terrorist activity or any combination of the above.

#### 4.0 Standard Bid Information

- 4.1. **Default by Bidder:** In case of default by the bidder, the City of Prescott may procure the items or service from other sources and may deduct from any monies due or that may thereafter become due to the bidder the difference between the price named in the contract or purchase order and the actual cost thereof to the City of Prescott. Prices paid by the City shall be considered the prevailing market price at the time such purchase is made. Periods of performance may be extended if the facts as to the cause of delay justify such extension in the opinion of the Purchasing Agent.
- 4.2. **Cash Discounts:** In connection with any cash discount specified on this bid, time will be computed from the date of complete delivery of the supplies, equipment or services as specified or from the date correct invoices are received in the City Finance office if the latter date is later than the date of delivery. For the purpose of earning the discount, payment is deemed to be made on the date of mailing of the City warrant or check.
- 4.3. **Warranty:** Manufacturer's warranties shall remain in effect. All equipment purchased shall be purchased from one (1) vendor. That one vendor shall be fully responsible for all warranty performance relating to any part of component of the purchased equipment. The vendor's responsibility shall include all warranty involving sub-contractors. The vendor shall supply a warranty on all parts and workmanship from the initial delivery date. The vendor shall guarantee further that the equipment to be supplied complies with all applicable regulations.
- 4.4. **Litigation:** The parties hereto expressly covenant and agree that in the event of a dispute arising from this Agreement, each of the parties hereto waives any right to a trial by jury. In the event of litigation, the parties hereby agree to submit to a trial before the Court. Neither party shall be entitled to an award of attorneys' fees, either pursuant to the Contract or another other state or federal statute.
- 4.5. **Cooperative Use of Contract:** This contract may be extended for use by other municipalities, school districts and government agencies in the State of Arizona with the approval of the contracted vendor. Any such usage by other entities must be in accordance with the statutes, codes, ordinances, charter and/or procurement rules and regulations of the respective government agency.
- 4.6. **Brand Names:** Brand names are only used for reference to indicate character or quality desired unless otherwise indicated.

#### 5.0 Instructions for Submittal Forms

- 5.1. Form A - Solicitation Response Cover Sheet: Bidder shall complete, sign, and submit Form A as the first page of the bid package
- 5.2. Form B - Price Sheet: Bidder shall certify that its bid will be valid for 120 days after submission. Bidder may be asked to extend this certification. Bidder shall complete, sign, and submit Form B.
- 5.3. Form C - Bid Certification: Bidder shall complete, sign, and submit Form C

- 5.4. Form D - Non-Collusion Certificate: Bidder shall complete, sign, and submit Form D.
- 5.5. Form E - Contractor Questionnaire: Bidder shall complete, sign, and submit Form E.
- 5.6. Form F - Certificate of Ownership: Bidder shall complete, sign, and submit Form F completely and accurately stating the names and addresses of all persons, firms, corporations, partnerships or other associations having any direct or indirect financial interest in the Bidder's business and the nature and extent of each such interest.
- 5.7. Form G - Bidder Optional Information: Form G is for informational purposes only, is not required to be answered or submitted, and responses will not be taken into consideration in bid evaluation, or in agreement award or administration. Bidder may complete, sign, and submit Form G.
- 5.8. Form H - Bidder Qualifications, Representations and Warranties
  - 5.8.1. Bidder shall complete and submit Solicitation Form H. Bidder shall provide additional information as required.
  - 5.8.2. The City reserves the right to inspect any of Bidder's facilities and equipment after the bid due date and time listed in Section 2.2. The Bidder shall make such facilities and equipment available for the City's inspection within eight business hours of the City's request. The City may require additional information concerning a Bidder's facilities, equipment, personnel, and procedures. The Bidder shall supply such information within the time noted in the City's request.
  - 5.8.3. The City shall consider awarding agreements only to responsible Bidders. Responsible Bidders are those that have, in the sole judgment of the City, the financial ability, character, reputation, resources, skills, capability, reliability, and business integrity necessary to perform the requirements of the agreement.
  - 5.8.4. In determination of responsibility, the City may consider all information available to the City, whether specifically provided by the Bidder in response to this solicitation or other information otherwise available to the City in evaluating the responsibility of the Bidder. Such information may include, but is not limited to, experience and history of the City with current and/or prior contracts held by the Bidder with the City or with other agencies, references provided by the Bidder to the City, information provided by the Bidder as part of the solicitation responses, and information not specifically provided by the Bidder but is otherwise available to the City and has merit in consideration of responsibility, in the opinion of the City. The evaluation of responsibility shall be determined by the City and shall be in the sole opinion of the City. Such evaluation by the City shall be final and not subject to appeal. Furthermore, no agreement will be awarded to a Bidder if any owner of such Bidder has been convicted within the past ten years of a crime involving dishonesty or false statements, or if the Bidder has unsatisfied tax or judgment liens.
  - 5.8.5. Bidder shall provide two (2) references, a sub-contractors list (if applicable) and certify there are no unsatisfied tax liens or judgments on record. Bidder shall complete, sign and submit Form H.

**Form A – Solicitation Response Cover Sheet**



City of Prescott  
Solicitation Response

Solicitation Number: \_\_\_\_\_

Description:..... \_\_\_\_\_

Please note all that apply:

Total Price.....\$ \_\_\_\_\_

Addenda Number(s) Received (if any) ..... \_\_\_\_\_

Original Forms A through H plus two (2) photocopies

Business Name: \_\_\_\_\_

Business Address: \_\_\_\_\_

\_\_\_\_\_

Business Phone: (\_\_\_\_\_) \_\_\_\_\_

Business Contact: \_\_\_\_\_

Contractor Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Form B – Price Sheet**

Item Description

½ Ton 4x2 SWB Pick Up Truck	\$ _____
½ Ton 4x2 LWB Pick Up Truck	\$ _____
½ Ton 4x4 SWB Pick Up Truck	\$ _____
1 Ton 4x4DT DRW	\$ _____
1 ton 4x4 DRW	\$ _____
1 Ton 4x2 DRW \$ _____	
1 Ton 4x4 SRW Regular Cab	\$ _____
¾ Ton 4x4 XCab Short Bed	\$ _____
Airport	\$ _____
Airport	\$ _____
PFD	\$ _____
Mid-size 4x2 LWB Pick Up	\$ _____
Compact SUV 4x2 4-Door	\$ _____

Applicable Sales Tax \_\_\_\_\_ % \$ \_\_\_\_\_

Total \$ \_\_\_\_\_

Delivery Shall Be Within \_\_\_\_\_ Days Upon Receipt of Order (ARO)

**Payment Terms:** \_\_\_\_\_

(The City's payment terms are N30 but discounts will be taken as offered when practical - ie. 2% 10 N30)

**Dated this** \_\_\_\_\_ **day of** \_\_\_\_\_ **2007.**

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**Title**

**Form C – Bid Certification**

**Bidder Name:** \_\_\_\_\_

**The undersigned Bidder hereby certifies as follows:**

**C.1** That he/she has read The City of Prescott's solicitation documents, its appendices and attachments, and the following Addenda, and to the best of his/her knowledge, has complied with the mandatory requirements stated therein.

Addendum	Issue Date
_____	_____
_____	_____

**C.2** That he/she has had opportunity to ask questions regarding the solicitation, and that such questions having been asked, have been answered by the City.

- C.3** That the Bidder's bid consists of the following:
1. Form A – Solicitation response package cover sheet
  2. Form B – Price Sheet
  3. Form C – Bid Certification
  4. Form D – Non-Collusion Certificate
  5. Form E – Contractor Questionnaire
  6. Form F – Certificate of Ownership
  7. Form G – Optional Bidder Information
  8. Form H – Bidder Qualifications, Representations and Warranties; Bidder to provide attachment:  
Attachment – Subcontractor's List

**C.4** That the Bidder's bid is valid for 120 days.

**Dated this** \_\_\_\_\_ **day of** \_\_\_\_\_ **2007.**

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**Title**

**Form D – Non-Collusion Certificate**

**Bidder Name:** \_\_\_\_\_

**The undersigned Bidder hereby certifies as follows:**

To the best of his/her knowledge, the person, firm, association, partnership or corporation herein, has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive pricing in the preparation and submission of a bid to The City of Prescott for consideration in the award of this solicitation.

**Dated this** \_\_\_\_\_ **day of** \_\_\_\_\_ **2007.**

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**Title**

**Form E – Contractor Questionnaire**

Yes - No

- q    q    1. Has the City of Prescott or other governmental entity incurred costs as a result of contested change order (s) from the undersigned company?
- q    q    2. Has the City of Prescott or other governmental entity been involved in litigation relative to contract performance with the undersigned company?
- q    q    3. Has the undersigned company failed to meet bid specifications or time limits on other contracts?
- q    q    4. Has the undersigned company abandoned a contract or refused to perform without legal cause after submitting a bid?
- q    q    5. Has the undersigned company had bidding errors or omissions in two or more bid submissions within a thirty-six month period?
- q    q    6. Has the undersigned company failed to perform or performed unsatisfactory of two or more contracts within a thirty-six month period.
- q    q    7. Does the undersigned company have adequate equipment, personnel and expertise to complete the proposed contract?
- q    q    8. Does the undersigned company have a record of safety violations in two or more contracts within a thirty-six month period?
- q    q    9. Does the undersigned have a criminal offense as an incident to obtaining or attempting to obtain a public or private contract or subcontract, or in the performance of such a contract or subcontract within a ten-year period?
- q    q    10. Has the undersigned company been convicted of a criminal offense within a ten-year period of embezzlement, theft, bribery, falsification or destruction of records, receiving stolen property, or any other offense indicating a lack of business integrity or business honesty which might affect responsibility as a municipal contractor?
- q    q    11. Has the undersigned company been convicted of state or federal antitrust statues within a ten-year period arising out of submission of bids or proposals?
- q    q    12. Has the undersigned company been disbarred or a similar proceeding by another governmental entity?

**If you answered “yes” to Items 1-6 or 8-12 or answered “no” to Item 7, please attach a full explanation to this questionnaire.**

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Name: \_\_\_\_\_  
(please print)

Title: \_\_\_\_\_  
(please print)

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**Form F – Certificate of Ownership**

**Bidder Name:** \_\_\_\_\_

**The undersigned Bidder hereby certifies as follows:**

To the best of his/her knowledge, the person, firm, association, partnership or corporation herein, are the only person, firms, corporations, partnerships, or other associations having any direct or indirect financial interest in the Bidder's business as legal or equitable owner, creditor (except current bills for operating expenses), or holder of any security or other evidence of indebtedness.

**Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2007.**

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**Title**

**Form G – Bidder Optional Information**

**Bidder Name:** \_\_\_\_\_

Bid Form G is for informational purposes only, is not required to be answered or submitted, and responses will not be taken into consideration in bid evaluation, or in agreement award or administration. Bidder may complete, sign, and submit Bid Form G.

**Affirmative Efforts to Utilize WMBEs** – The City encourages the utilization of woman-owned and minority-owned businesses and the participation of such businesses in City bidding opportunities. The City requests Bidder to designate whether it is a State certified woman or minority owned business (WMBE), or whether the Bidder desires to self-identify as owned by women or minorities.

**WMBE Status:**

Certification:

- Women’s Business Enterprise WMBE Certification No. \_\_\_\_\_
- Minority Business Enterprise
- Minority and Women’s Business Enterprise
- Disadvantaged Business Enterprise DBE Certification No. \_\_\_\_\_

Ethnicity:

- Asian American  Native American
- African American  White
- Hispanic

Gender:  Male  Female

**Self-Identification:** If Bidder is not WMBE or DBE Certified, please select one category of ownership that best describes the ownership of Bidder:

Is Bidder at least 51% owned by one or more women?  Yes  No

Is Bidder at least 51% minority owned?  Yes  No

Ethnicity:

- Asian American  Native American
- African American  White
- Hispanic

Gender:  Male  Female

**Form H – Bidder Qualifications, Representations and Warranties**

**Bidder Name:** \_\_\_\_\_

**The undersigned Bidder hereby certifies as follows:**

- H1 Taxes and Liens** - Bidder has no unsatisfied tax or judgment lien on record.
- H2 Subcontractors** – Bidder submits as Attachment 4 to this Bid Form A a list of all subcontractors it will use in performing the requirements of the agreement resulting from this solicitation. A subcontractor is any separate legal entity used to perform requirements of the proposed agreement. The list shall include the firm's name, contact person and title, mailing address, telephone number, fax number and a description of the service(s) to be subcontracted. Bidder shall also attach a copy of the letter from the subcontractor stating its commitment to perform the services(s) subcontracted.
- H3 References** – The City will enter into an agreement only with a Bidder(s) having a reputation of satisfactory performance. The Bidder's ability to provide timely service; knowledgeable, conscientious, and courteous staff; reasonable care and skill; invoicing consistent with contract pricing, etc., are important to the City. Bidder provides information for two clients, other than the City of Prescott, that presently contract with Bidder for similar goods or services:

Reference #1

Firm Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Reference #2

Firm Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Note: The bid evaluators may contact the customer references, as well as any other customers or customer employees including The City of Prescott. A Bidder with unsatisfactory references may have its bid rejected.

- H4 Bidder's Examination** - Bidder has made its own examination, investigation and research regarding the requirements of the solicitation including but not limited to the work to be done, services to be performed, any conditions affecting the work and services, the type and quantity of labor, equipment and facilities necessary to perform. Bidder fully understands the character of the work and services, the manner in which payment is to be made, the terms and conditions of the draft agreement (see Appendix C), and the solicitation. Bidder acknowledges and agrees that it has satisfied itself by its own examination, investigation and research, and that it will make no claim against the City because of erroneous estimates, statements, or interpretations made by City. Bidder hereby proposes to furnish all materials, equipment, and facilities and to perform all labor which may be required to do the work within the time required and upon the terms and conditions provided in the draft agreement and the solicitation, and at the prices as bid.

**Dated this** \_\_\_\_\_ **day of** \_\_\_\_\_ **2007.**

\_\_\_\_\_

**Signature**

**Title**

**EXHIBIT 'A'**

# SPECIFICATION

## 2007/2008 1/2 TON FULL SIZE SWB REGULAR CAB 4X2 PICKUP TRUCK-

### ITEM

### SPECIFICATION

QUANTITY	One (1) OR MORE
ENGINE	Minimum 4.6L , V-8 – V10 not acceptable
HIGH ALTITUDE PACKAGE	Factory Standard
WHEELBASE	Min. 115.0” – Max. 121.0” - <b>STATE WHEELBASE</b> _____”
GVW	Minimum 6000 Lbs.
AIR CONDITIONING	Factory Standard
BRAKES	Power , anti-lock brake system
COOLING	Maximum available
COLOR – EXTERIOR	Bright White – <b>IDENTIFY COLOR CODE #)</b> _____
REAR VIEW MIRROR	Day/Night Inside
GAUGES	ALL (Oil, Water, Volts/Amp, minimum)
BUMPERS	Front , standard – Rear, Factory rear step
ALTERNATOR	Min. 65 AMP
BATTERY	Maintenance free HD , Max. Available
FUEL	Gasoline
FUEL TANK	Max. available – <b>STATE CAPACITY</b> _____
<b>TRAILER TOWING PKg.</b>	<b>Required</b>
GLASS	All windows, factory tinted
LAMPS	Dome , all standard
MIRRORS	Outside , two (2) swing out recreation –Approx. 6 x 9”
RADIO	AM/FM Stereo minimum
CIGARETTE LIGHTER	Factory Standard
WINDSHEILD WIPERS	Intermittent , 2 speed minimum
SEATS	Cloth, bench with folding back
FLOOR MAT	Rubber
STEERING	Power , standard
TIRES	(5) Steel belted radials, Mud-Snow type – LR –C – <b>STATE SIZE</b>
<hr/>	
SPARE	Same as Front/Rear - <b>SPECIFY SIZE</b> _____
TRANSMISSION	Automatic, 4 speed
TRANSFER CASE	Two (2) speed – <b>INDICATE MODEL</b> _____
AXLES	<b>SPECIFY RATIO</b> _____
<b>BID AS OPTION -</b>	<b>LIMITED SLIP REAR AXLE – STATE RATIO</b> _____ \$ _____
SERVICE MANUALS	(1) set required
KEYS	Four (4) sets
WARRANTY	<b>STATE – MONTHS</b> _____, <b>MILES</b> _____

**ABOVE VEHICLE BID PRICE - \$** \_\_\_\_\_ **TAX \$** \_\_\_\_\_ **TOTAL \$** \_\_\_\_\_

**State days to deliver A.R.O.** \_\_\_\_\_



# SPECIFICATION

## 2007/2008 1/2 TON FULL SIZE REG. CAB LWB 4X2 PICKUP TRUCK

### ITEM

### SPECIFICATION

QUANTITY One (1) OR MORE  
ENGINE Minimum 4.6L , V-8 – V10 not acceptable  
HIGH ALTITUDE PACKAGE Factory Standard  
WHEELBASE **STATE WHEELBASE** \_\_\_\_\_”  
GVW Minimum 5600 Lbs.  
AIR CONDITIONING Factory Standard  
BRAKES Power , anti-lock brake system  
COOLING Maximum available  
COLOR – EXTERIOR Bright White – **IDENTIFY COLOR CODE #)**\_\_\_\_\_  
REAR VIEW MIRROR Day/Night Inside  
GAUGES ALL (Oil, Water, Volts/Amp, minimum)  
BUMPER Front , standard – Rear, Factory rear step  
ALTERNATOR Min. 65 AMP  
BATTERY Maintenance free HD , Max. Available  
FUEL Gasoline  
FUEL TANK Max. available – **STATE CAPACITY** \_\_\_\_\_  
TRAILER TOWING PACKAGE Required  
FUEL TANK Max. available, indicate capacity  
GLASS All windows, factory tinted  
LAMPS Dome , all standard  
MIRRORS Outside , two (2) swing out recreation –Approx. 6 x 9”  
RADIO AM/FM Stereo minimum  
CIGARETTE LIGHTER Factory Standard  
12 V.D.C. POWER OUTLET Factory standard  
WINDSHEILD WIPERS Intermittent , 2 speed minimum  
SEATS Cloth, bench with folding back  
FLOOR MAT Rubber  
STEERING Power , standard  
TIRES (5) Steel belted radials, All Seasons Type – LR -C  
SPARE Same as Front/Rear - **SPECIFY SIZE OPTIONS**  
TRANSMISSION Automatic, 4 speed  
AXLES **SPECIFY RATIO OPTIONS & COST**  
SERVICE MANUALS (1) set required  
KEYS Four (4) sets  
WARRANTY STATE – MONTHS\_\_\_\_\_, MILES \_\_\_\_\_

ABOVE SWB VEHICLE BID PRICE - \$ \_\_\_\_\_ TAX \$ \_\_\_\_\_ TOTAL  
\$ \_\_\_\_\_

State days to deliver A.R.O. \_\_\_\_\_

# SPECIFICATION

## 2007/2008 1/2 TON FULL SIZE SWB REGULAR CAB 4X4 PICKUP TRUCK

### ITEM

### SPECIFICATION

QUANTITY	One (1) OR MORE
ENGINE	Minimum 4.6L , V-8 – V10 not acceptable
HIGH ALTITUDE PACKAGE	Factory Standard
WHEELBASE	Min. 115.0” – Max. 121.0” - <b>STATE WHEELBASE</b> _____”
GVW	Minimum 6000 Lbs.
AIR CONDITIONING	Factory Standard
BRAKES	Power , anti-lock brake system
COOLING	Maximum available
COLOR – EXTERIOR	Bright White – <b>IDENTIFY COLOR CODE #</b> _____
REAR VIEW MIRROR	Day/Night Inside
GAUGES	ALL (Oil, Water, Volts/Amp, minimum)
BUMPERS	Front , standard – Rear, Factory rear step
ALTERNATOR	Min. 65 AMP
BATTERY	Maintenance free HD , Max. Available
FUEL	Gasoline
FUEL TANK	Max. available – <b>STATE CAPACITY</b> _____
<b>TRAILER TOWING PKg.</b>	<b>Required</b>
GLASS	All windows, factory tinted
LAMPS	Dome , all standard
MIRRORS	Outside , two (2) swing out recreation –Approx. 6 x 9”
RADIO	AM/FM Stereo minimum
CIGARETTE LIGHTER	Factory Standard
WINDSHEILD WIPERS	Intermittent , 2 speed minimum
SEATS	Cloth, bench with folding back
FLOOR MAT	Rubber
STEERING	Power , standard
TIRES	(5) Steel belted radials, All Terrain type – LR –C – <b>STATE SIZE</b>
SPARE	Same as Front/Rear - <b>SPECIFY SIZE OPTIONS</b>
TRANSMISSION	Automatic, 4 speed
TRANSFER CASE	Two (2) speed – <b>INDICATE MODEL</b>
AXLES	<b>SPECIFY RATIO OPTIONS &amp; COST</b>
<b>BID AS OPTION -</b>	<b>LIMITED SLIP REAR AXLE – STATE RATIO</b> _____ \$ _____
SERVICE MANUALS	(1) set required
KEYS	Four (4) sets
WARRANTY	<b>STATE – MONTHS</b> _____, <b>MILES</b> _____

**ABOVE VEHICLE BID PRICE - \$** \_\_\_\_\_ **TAX \$** \_\_\_\_\_ **TOTAL \$** \_\_\_\_\_

**State days to deliver A.R.O.** \_\_\_\_\_



### Specifications

New 2007 or 2008, One (1) ton, Reg. Cab, short Wheelbase, 4X4,  
Dual Rear Wheels, Dump Truck w/ Central Hydraulic System

#### Cab Chassis

Quantity One (1) - or more  
FAWR 3,800 LBS min. (Note exception)  
RAWR/RATIO Ratio & suspension to match 10,000# Towing Requirement  
GVW 11,000 LBS. Min. (Note exception)  
Wheel Base **As required to meet application requirements**

#### \*\*\* 8' dump body to be installed

Cab to Axle 60 Inch nominal, to meet application  
requirements **\*\*\* FOR 8' DUMP BODY**  
Snow Plow Prep Package Factory Standard  
High Altitude Package Factory Standard  
Engine 6.0L. (Minimum)  
Air Conditioning Factory Standard  
Brakes Power, anti-lock brake system  
Bumper Front only, Chrome  
Battery Maintenance Free HD Factory Dual  
Charging System Max. Alternator Available  
Cooling Max. Available, ALL systems Eng., Trans.  
Fuel Gasoline Max. Available Tank  
Light Roof, Clearance  
Glass Tinted, All  
Gauges ALL (Oil, Water, Volts/Amp, minimum)  
Rear View Mirror Day/Night Inside  
Side Mirrors Outside, two (2) swing-out recreation type  
with extended spot mirror  
Paint Bright White (Provide Color ID Number \_\_\_\_\_)  
Cigarette Lighter Factory Standard  
Radio AM/FM Minimum  
Rear Differential Axle Ratio - **Specify Ratio** \_\_\_\_\_  
Seats Bench, Cloth  
Shop – Service Manuals 1-complete set  
Steering Factory Standard Power Steering  
Tires – Front Steel Belted, “All Terrain” Design  
Tires - Rear Steel Belted Radials, “All Terrain Tires”  
specify size \_\_\_\_\_  
Tire - Spare 1 ea. - Matching Rear “Mud & Snow Tires”  
**Tow Package Min. 10,000# , TOW COMMAND System Required**  
Transmission Automatic, with PTO capability.  
Transfer Case Two (2) Speed Minimum  
Windshield Wipers Intermittent, 2 Speed, Minimum  
Keys Four (4) sets Minimum

VEHICLE BID PRICE \$ \_\_\_\_\_ TAX \$ \_\_\_\_\_ TOTAL \$ \_\_\_\_\_

DUMP TRUCK BODY PRICE INCL ALL TAXES AND INSTALLATION \$ \_\_\_\_\_

## **Dump Body**

### **General:**

1. Cross Memberless Type Dump Body with Telescopic Hoist, compatible with the Central Hydraulic System.
2. The frame of the truck shall not extend beyond the point where it interferes with the dump body in the raised position. In the event that it does, the frame shall be cut off and the end of the frame boxed-in. A flame cut frame is not acceptable.
3. The steel mounting strip between the dump body sub-frame and the truck frame shall be of sufficient thickness to clear rivets in the truck frame.
4. All mounting brackets shall be secured to the frame by drilling and bolting / riveting and not by welding.
5. Mud flaps shall be installed behind the rear wheels and shall be supplied with chains and hooks to hold the mud flap out of the way when dumping.
6. Dump Body to be supplied with safety props designed to support the body during repair and maintenance activities.
7. Dump body shall be painted the same color (white) as the cab, frame and tank to be manufacturers black.
8. Dimensions: Length: 8 feet. Width: 82" inside 92" outside Height: Side 13" Tailgate 19" Head 34" Min.
9. Floor: 1 piece 10 gauge steel - minimum. Cross Members are NOT allowed.
10. Sides: 12 gauge steel minimum.
11. Tailgate: One Piece, 12 gauge steel minimum. Flush mount, off set hinge plates with easy release pins. 1" top and 1.25" bottom latch pins; minimum. Manual over-center tailgate release mechanism.
12. Headsheet with Cab Shield: 12 gauge steel minimum. The cab-guard shall be mounted on dump body, with sufficient clearance to allow cab doors to open when dump bed is loaded. Cab to dump body clearance shall be adequate to insure proper operation of body.

### **Important Notice:**

Compliance with Federal DOT regulations concerning maximum height of center of gravity will be the responsibility of the manufacturers and vendors supplying bodies and / or equipment.

### **Hoist System**

1. Hoist: (Type Class M-80-3.5-3. NTEA Class 20. NTEA Rated Capacity Tons @ the Critical Angle 7.3 @ 29.8 degrees. Capacity @ Liftoff: 18.9 Tons) minimum.
2. Three Stage Telescopic, front trunnion-mounted with nitrided cylinders.
3. Oscillating cylinder collar.
4. Electric push-button operated. All Plumbing and hardware provided.
5. Cylinder warranty 2-year minimum.
6. The dump body shall have a safety device to limit and hold the bed at its maximum upward position, and designed to eliminate over centering of the bed.

### **Lights, reflectors and electrical provisions:**

1. Lights and reflectors shall be installed in accordance with ICC Federal and Arizona State safety standards and laws.
2. Combination directional stop and taillights with sealed beams shall be mounted in a manner: not to interfere with truck operations. Rubber mounted, shock resistant type Stop, turn, and taillights shall be mounted in corner posts.

3. All wiring shall be 16 Ga. minimum and adequate for the loads (as determined by the vendor) required and shall be enclosed in EMT conduit for maximum protection.
4. All exposed wiring to be installed in conduit with weather-tight connections.
5. Auxiliary headlights and turn signals for use during snow plow operations shall be installed and wired to the truck in a manner that allows for the proper operation of the hood, and plow, without interference to normal operational capabilities of the vehicle.
6. Tail light socket to be installed and wire for trailer lights left of combination pintle hitch – Trailer socket to be Niehoff TC55261 or approved equal

### **Paint – Preparation**

1. All surfaces high-pressure cleaned and phosphated. Primed with high quality alkyd primer - underside to be primed black. Top to be WHITE.

### **Hitch**

1. A combination pintle hitch is to be installed at rear of chassis mounted to a butt plate adequate to the task, at a height of 19 inches from the ground, plus or minus 1/2 inch, to the center of the pintle opening.
2. The mounting of the pintle shall be in a manner that is readily removable and provides access to all mounting hardware (nuts –bolts).
3. The combination pintle shall be supplied with one 2-inch and one 2 5/16-inch balls.
4. There shall be one swiveling “D” ring rated at 20,000 lbs. mounted on each side of the pintle hitch in a manner to allow safety chains to be connected without interfering with the operation of a trailer attached to the vehicle.
5. Tail light socket to be installed and wire for trailer lights left of combination pintle hitch – Trailer socket to be Niehoff TC55261 or approved equal

## **CENTRAL HYDRAULIC SYSTEM**

### **General:**

1. The central hydraulic system shall be a direct to transmission mounted PTO type or an under-hood mounted clutch pump system capable of operating the dump body, plow, spreader and other remote hydraulic appurtenances such as a hydraulic pavement breaker.
2. All necessary plumbing, 15 gallon (min.) Hydraulic Reservoir, Control Valve(s) Proportional Sander Valve, with in cab control capabilities.
3. All sub-systems within the hydraulic system shall be plumbed with isolation valves so that each component requiring service can be removed without draining the entire hydraulic system.
4. Appropriate screens and filters shall be included in the system.
5. As much as is possible hard hydraulic lines are to be installed to both the left front of the truck for snow plow operation, and to the right rear of the vehicle for spreader operation.
6. Quick connect couplings shall be installed at those termination points and shall be mounted to manifold plate left of center for easy connection of snowplow hydraulic hoses.
7. The couplings shall be installed in an alternating Male to Female manner to eliminate any misconnection.
8. In lieu of plugs or caps, an opposing male or female connector shall be plugged and provided as a plug or cap to eliminate oil flows and dusts contamination when equipment is not being used.

9. Snowplow connector shall be based upon Pioneer, Part Number 4050-2 or equal Airquip connectors.
10. Hydraulic quick connectors fittings to rear of truck for spreader hydraulic connection shall be mounted to a manifold plate or butt plate, with the pintle hitch, towards the right side of the chassis frame rail; (not to be outside chassis frame width on right side).
11. The couplings shall be installed in a manner to eliminate any misconnection. In lieu of plugs or caps, an opposing male or female connector shall be provided as a plug or cap to eliminate any oil flows when equipment is not being used.
12. The hydraulic pump shall be mounted in such a way that the pump will be driven by direct mount via the transmission from a "Hot Shift" power takes off; or clutch mounted in a "Hot Shift" configuration.

**Reservoir:**

Hydraulic reservoir shall be a minimum 15-gallon capacity and equipped with the following:

1. Basket type filter breather cap.
2. Magnetic drain plug.
3. Shall utilize NPT connections with a ball valve on the suction port with #100 mesh screen type filter.
4. Separate return port for control drain line.
5. Sight temperature gauge externally mounted.
6. Internal baffling.
7. The hydraulic tank filler cap and neck shall be located so that fluid can be added with the dump body in the down position.
8. The filler neck and tank vent is to be installed to preclude any accidental intrusion or contamination by any foreign material.
9. The fluid level indicator shall be installed to allow the operator to have easy access to visually check the fluid level. Indicator shall show a minimum and maximum level.

**Hydraulic System Plumbing:**

1. Hose assemblies shall be SAE specified adequate in size and pressure rating to meet the requirements of the hydraulic systems.
2. Pipe and pipe connections shall be rated at a minimum of 3000 PSIG and adequate in size for volume requirements.
3. Adapters shall be high-pressure steel shall be rated at a minimum 3000 PSIG rating and adequate in size for system requirements.
4. All tanks, valves, hoses etc., shall be installed in such a manner as to not interfere with normal maintenance of the vehicle.
5. All components shall have a minimum ground clearance of 15 inches.
6. Where possible steel pipes shall be used in place of hoses.
7. Hydraulic lines must allow for the transmission to be removed without disconnecting the lines.
8. All quick disconnect must be rated to exceed the maximum potential system pressure.
9. Pressure lines to the front must be hydraulic tube or pipe rated to exceed the maximum potential system pressures.
10. All hydraulic hoses shall be adequately clamped and shielded to prevent chaffing, pinch point's exposure to the exhaust system and damage under heavy use. Hydraulic hoses shall not extend below the top of the front axle.

### **Filter:**

1. The hydraulic oil filter shall be mounted at the reservoir and equipped with an appropriate inline check to be installed with the reservoir and filter to allow servicing of the filter without siphoning oil from the reservoir.
2. The hydraulic filter shall be a 10-micron spin on type filter rated for no less than 50 GPM.
3. The filter shall be configured with a filter condition indicator gauge.

### **Control Center:**

1. The Control Center must be an integral center for controlling all hydraulic functions including plow, spreader, dump body and auxiliary lighting.
2. The Center must be fully backlit and provide for warning lights for each operation.
3. The Center must be supplied with color-coded wiring throughout.
4. The Control Center wiring shall have Cannon (or equal) type plug connectors installed, as necessary, to allow for quick removal of the entire control console from the cab of the truck.
5. Vendor shall provide one (1) complete set of Service and Operation Manuals with the vehicle.

### **Control Center Spreader Controls:**

The spreader control portion of the control sensor shall regulate the spinner and augur. The spinner shall be controlled by:

#### Hydraulic Valves:

1. The hydraulic valves shall be of a modular manifold design.
2. Each hydraulic function requires an individual manifold stacked together to form the manifold base.
3. The dump body manifold shall be stacked to one side of the inlet section and meet systems flow demands.
4. The plow raise/lower, plow angle, augur, and spinner manifolds shall be stacked to the other side of the inlet section, and be capable of meeting system flow demands.
5. Each hydraulic valve segment shall be individually mounted to the manifold base assembly and be serviceable without removing any hydraulic hoses or any other hydraulic valve segments.
6. Each hydraulic valve segment shall have individual pressure compensation to achieve independent simultaneous operations.
7. All segments shall have heavy-duty continuous duty coils and connection shall be with Hirshman connectors.
8. All coils shall operate at 12 VDC and require a maximum of 1400 milliamps.
9. Each segment shall be equipped with a rack and pinion manual override except for the auger and spinner sections. I.

### **Hydraulic Valve Enclosure:**

1. The valve assembly shall be mounted in a weather-tight enclosure.
2. The valve enclosure shall have a gasket cover to ensure easy access.
3. The cover shall be held to the enclosure by two heavy rubber latches. (One on each side.)
4. All plumbing shall be external, directly into the bottom of the valve manifold base (there shall be NO hydraulic plumbing in the enclosure).

### **Snow Plow Hydraulics:**

1. Hydraulic lines shall be plumbed from the control valve to the top left of the front bumper to provide hydraulic power for snowplow operation.
2. Lines shall be located so that they do not interfere with the operation of the snowplow or the hood of the truck.
3. The hydraulic lines shall be terminated at the manifold plate.
4. The manifold plate is to be supplied with complete quick couplers and In lieu of plugs or caps, an opposing male or female connector shall be provided as a plug or cap to eliminate any oil flows when equipment is not being used.
5. These hydraulic lines shall provide plow lift and reverse hydraulic power for the snowplow.
6. The couplings shall be installed in an alternating Male to Female manner to eliminate any misconnection. In lieu of plugs or caps, an opposing male or female connector shall be plugged and provided as a plug or cap to eliminate oil flows and dusts contamination when equipment is not being used.

**Rear Manifold Plate:**

1. Quick-couplers shall be mounted through bulkhead fittings on a manifold plate left of the pintle hitch on the rear butt plate.
2. All connections must clear all body components and any possible trailer tongue/coupler movement and must be accessible for easy hookup.
3. The couplings shall be installed in an alternating Male to Female manner to eliminate any misconnection. In lieu of plugs or caps, an opposing male or female connector shall be plugged and provided as a plug or cap to eliminate oil flows and dusts contamination when equipment is not being used.

**Vendor is to supply the Streets Superintendent with shop drawings and complete descriptions of central hydraulic system components and installation for approval PRIOR to fabricating the vehicle.**

## SPECIFICATION

### 2007/2008 ONE (1) TON REGULAR CAB-CHASSIS , DRW 4X4

HIGH ALTITUDE PRINCIPAL USE PACKAGE REQUIRED

<u>ITEM</u>	<u>SPECIFICATION</u>	<u>DEALER TO PROVIDE</u>
Quantity	One (1) OR MORE	
Wheel base	Min. 60" CA (cab to rear axle) <b>For 108" body – STATE DIMENSIONS</b> _____	Required
GVW	Min 11,000 lbs.	Lbs.
Engine	Min. 6.0L V8 Gasoline <b>STATE ENG SIZE</b> _____	Liter
Air Conditioning	Factory standard	
Battery	Maintenance free HD	
Alternator	Min. 85 Amp – state rating _____ max. available	
Brakes	Power, anti-lock brake system	
Bumper	Chrome, front only	
Color	Bright White, state color code #__	
Cooling	Maximum available	
Fuel	Gasoline	
Fuel Tank	Max. available – <b>STATE CAPACITY</b> - _____	
Hubs	Front, manual locking type	
Lights	Cargo box light with courtesy switch, Roof clearance	
Gauges	Oil, Temp, Volt/Amp minimum	
Cigarette lighter	Factory standard	
Mirror	Rear view, day/night (inside)	
Mirrors	Outside, two (2), swing-out, recreation type	
Seats	Cloth, bench with folding back	
Floor Mat	Rubber	
Radio	AM/FM Stereo , factory standard	
Steering	Power, mfg. standard	
Shocks	Heavy-duty, gas filled	
Tires	Six (6) ALL TERRAIN, BSW to meet GVW Req.	
Spare tire	Full size, ALL TERRAIN to match Front/Rear	
Transfer case	Two(2) speed	
Transmission	Automatic, 4 speed, electronic	
Axles	Ratio/Capacity To meet 10,000# towing requirement – <b>STATE RATIO</b> _____	
Glass	Factory Tinted, (ALL)	
Wipers	min. 2 speed , intermittent	
TOW PKG.	Min 10,000# Rating, with Tow Command System	
Keys	Four sets (4)	
Service Manuals	One (1) set required	
Warranty	State – Months _____, Miles _____	

**Bid price \$** \_\_\_\_\_ **Tax \$** \_\_\_\_\_ **Total \$** \_\_\_\_\_

**State days to deliver A.R.O.** \_\_\_\_\_

**SERVICE BODY PRICE INCL. ALL TAXES \$ \_\_\_\_\_**

## City of Prescott

### SERVICE BODY SPECIFICATION

Please Quote

- 1) 108" Service body to be fully mounted on 2007/2008 Ford F-350 or 2007/2008 GM3500 Series Standard Cab Dually, 60"CA, DRW Chassis
- 2) Gas filler spout connected with recessed cup
- 3) Clearance lights and reflectors meeting Fed. Code 108
- 4) Double panel, weather sealed doors with spring type door stay to hold each compartment door in the open position
- 5) "T" handles on all compartment doors
- 6) Single lever gang type lock to secure all doors on each side of service body
- 7) 20" deep compartments
- 8) 36 – 40" high body
- 9) 2 Vertical compartments on passenger side, 1 Vertical compartment on drivers side, long horizontal compartment on drivers side, 1/2 length horizontal compartment on passenger side, small lower compartment to rear on drivers side.
- 10) Min. 12 Ga. Diamondplate steel floor
- 11) Diamondplate on tailgate facing inside toward service body floor area
- 12) Full width step bumper with built-in hitchwell and flush mounted lights
- 13) Painted with acrylic urethane paint White to match cab
- 14) Installed complete
- 15) Mud flaps
- 16) Receiver type hitch
- 17) Trailer socket to be 7 pole round pin, large diameter style w/cover
- 18) Include all taxes etc. \$ \_\_\_\_\_

# SPECIFICATION

## 2007/2008 ONE (1) TON REGULAR CAB-CHASSIS , DRW 4X2

HIGH ALTITUDE PRINCIPAL USE PACKAGE REQUIRED

<u>ITEM</u>	<u>SPECIFICATION</u>
Quantity	One (1) OR MORE
Wheel base	Min. 60" CA (cab to rear axle) <b>For 108" body – STATE DIMENSIONS</b> _____
GVW	Min 12,000 lbs.
Engine	Min. 6.0L V8 Gasoline _____
Air Conditioning	Factory standard
Battery	Maintenance free HD, factory dual
Alternator	Min. 85 Amp – state rating _____ max. available
<b>BID AS OPTION</b>	<b>100 AMP ALT. – COST \$</b> _____
Brakes	Power, anti-lock brake system
Bumper	Chrome, front only
Color	Bright White, state color code #___
Cooling	Maximum available
Fuel	Gasoline
Fuel Tank	Max. available – <b>STATE CAPACITY</b> - _____
Hubs	Front, manual locking type
Lights	Cargo box light with courtesy switch, Roof clearance
Gauges	Oil, Temp, Volt/Amp minimum
Cigarette lighter	Factory standard
Mirror	Rear view, day/night (inside)
Mirrors	Outside, two (2), swing-out, towing/recreation type
Seats	Cloth, bench with folding back
Floor Mat	Rubber
Radio	AM/FM Stereo , factory standard
Steering	Power, mfg. standard
Shocks	Heavy-duty, gas filled
Tires	Six (6) mud & snow, BSW to meet GVW Req.
Spare tire	Full size, mud & snow to match Front/Rear
Transmission	Automatic, 4 speed, electronic
Axles	4.10 :1 – <b>STATE RATIO</b> _____ <b>SPECIFY OPTIONS AND COST</b> _____ <b>incl tax</b>
Glass	Factory Tinted, (ALL)
Wipers	min. 2 speed , intermittent
TOW PKG.	<b>** REQUIRED, with factory installed electric trailer controller (Tow Command)</b>
Keys	Four sets (4)
Service Manuals	One (1) set required
Warranty	State – Months _____, Miles _____

**Bid price \$** \_\_\_\_\_ **Tax \$** \_\_\_\_\_ **Total \$** \_\_\_\_\_

**State days to deliver A.R.O.** \_\_\_\_\_



# CITY OF PRESCOTT

## LOW PROFILE SERVICE BODY SPECIFICATION MINIMUM

Please Quote- \*\* One (1) or more may be purchased from this quotation

**DESCRIPTIVE INFORMATION - Service body to be Stahl model 108CCD and be configured to below specifications or be an equal quality and configuration service body approved by the City of Prescott – Bidder to supply full descriptive information and brochures for evaluation by the City of Prescott**

- 1) 108” Service body to be fully mounted on \_\_\_\_\_ , 60”CA, DRW Chassis – [2007/8 Ford F350 or 2007/8 GM 3500 series](#)
  - 2) Gas filler spout connected with recessed cup
  - 3) Clearance lights and reflectors meeting Fed. Code 108
  - 4) Double panel, weather sealed doors with spring type door stay to hold each compartment door in the open position
  - 5) “T” handles on all compartment doors
  - 6) Single lever gang type lock to secure all doors on each side of serv.body
  - 7) 14 1/2” deep compartments
  - 8) 32-33” high body
  - 9) 2 Vertical compartment, 1 horizontal compartment on each side of service body
  - 10) Min. 12 Ga. Diamond plate steel floor
  - 11) Diamond plate on tailgate facing inside toward service body floor area
  - 12) Full width step bumper with built-in hitch well and flush mounted lights
  - 13) Painted with acrylic urethane paint White to match cab
  - 14) Installed complete
  - 15) Mud flaps
  - 16) Receiver type hitch , 10,000# rating , with receiver ball mount and combo (2 5/16” ball/pintle) coupler, and (large round 7 pin trailer plug)
  - 17) Include all taxes, etc.
- TOTAL BID \$\_\_\_\_\_

- 18) \*BID AS OPTION \*Ladder rack to be installed onto service body and extend over cab area suitable for transporting ladders and lumber of various lengths – Painted to match service body
- Include all labor, materials, taxes etc. to be added to above quote if we desire to add this option \$\_\_\_\_\_

# SPECIFICATION

## 2007/2008 1 TON LWB-SRW REGULAR CAB 4X4 PICKUP

ITEM	SPECIFICATION
QUANTITY	One (1) OR MORE
ENGINE	Minimum 6.0L , V-8
HIGH ALTITUDE PACKAGE	Factory Standard
WHEELBASE	Minimum 135.0", Max. 139.0" – <b>STATE WB.</b> _____
GVW	Minimum 9200 Lbs.- <b>STATE GVW</b> _____
AIR CONDITIONING	Factory Standard
BRAKES	Power , anti-lock brake system
COOLING	Maximum available
COLOR – EXTERIOR	Bright White – <b>IDENTIFY COLOR CODE #)</b> _____
REAR VIEW MIRROR	Day/Night Inside
GAUGES	ALL (Oil, Water, Volts/Amp, minimum)
BUMPERS	Front , standard
ALTERNATOR	Min. 65 AMP
BATTERY	Maintenance free HD , Max. Available
FUEL	Gasoline
FUEL TANK	Max. available – <b>STATE CAPACITY</b> _____
GLASS	All windows factory tinted
LAMPS	Dome , all standard
MIRRORS	Outside , two (2) swing out recreation –Approx. 6 x 9" Maximum Available
RADIO	AM/FM Stereo minimum
CIGARETTE LIGHTER	Factory Standard
WINDSHEILD WIPERS	Intermittent , 2 speed minimum
SEAT	Cloth, bench with folding back
FLOOR MAT	Rubber
STEERING	Power , standard
TIRES	(5) Steel belted radials,- All Terrain Tires – LR -D
SPARE	Same as Front/Rear - <b>SPECIFY SIZE OPTIONS</b>
TRANSMISSION	Automatic, Min.. 4 speed
TRANSFER CASE	Two (2) speed – <b>INDICATE MODEL</b>
AXLES tax	Limited Slip or equal - <b>SPECIFY RATIO OPTIONS &amp; COST</b> - _____ Incl.
SERVICE MANUALS	(1) set required
TOW PACKAGE	Min. CLASS IV w / Tow Command
SKID PLATE PACKAGE	<b>BID AS OPTION – COST \$</b> _____ <b>Incl. tax</b>
KEYS	Four (4) sets
WARRANTY	STATE – MONTHS _____, MILES _____
<b>ABOVE VEHICLE BID PRICE - \$</b> _____ <b>TAX \$</b> _____ <b>TOTAL</b> <b>\$</b> _____	

State days to deliver A.R.O. \_\_\_\_\_

# SPECIFICATION

## 2007/08 3/4T TON SHORT BED EXTENDED CAB 4X4 PICKUP- PFD

ITEM	SPECIFICATION
QUANTITY	One (1) OR MORE
ENGINE	Minimum 5.4L , V-8
HIGH ALTITUDE PACKAGE	Factory Standard
WHEELBASE	Minimum 142" – <b>STATE WB.</b> _____
GVW	Minimum 9200 Lbs.- <b>STATE GVW</b> _____
AIR CONDITIONING	Factory Standard
BRAKES	Power , anti-lock brake system
COOLING	Maximum available
COLOR – EXTERIOR	Bright White – <b>IDENTIFY COLOR CODE #)</b> _____
REAR VIEW MIRROR	Day/Night Inside
GAUGES	ALL (Oil, Water, Volts/Amp, minimum)
BUMPERS	Front , standard
ALTERNATOR	Min. 85 AMP
BATTERY	Maintenance free HD , Max. Available
FUEL	Gasoline
FUEL TANK	Max. available – <b>STATE CAPACITY</b> _____
GLASS	All windows factory tinted
LAMPS	Dome , all standard
MIRRORS	Outside , two (2) swing out recreation –Approx. 6 x 9" Maximum Available
RADIO	AM/FM/CD Stereo minimum
CIGARETTE LIGHTER	Factory Standard
WINDSHEILD WIPERS	Intermittent, 2 speed minimum
SEAT	High Back 40/20/40 Split Cloth, bench with folding back
FLOOR MAT	Rubber
STEERING/CRUISE	Power, standard, with tilt steering wheel & Cruise control
POWER EQUIPMENT GROUP	Required
TIRES	(5) Steel belted radials, All Terrain type – LR -D
SPARE	Same as Front/Rear - <b>SPECIFY SIZE</b>
TRANSMISSION	Automatic, Min. 4 speed
TRANSFER CASE	Two (2) speed – <b>INDICATE MODEL</b> _____
AXLES	<b>Limited Slip – 4.10 Ratio Required</b>
SERVICE MANUALS	(1) set required
TRAILER TOWING PACKAGE	Tow Command System – Receiver Hitch w/ Tow Command System
SKID PLATE PACKAGE	<b>REQUIRED</b>
KEYS	Four (4) sets
WARRANTY	STATE – MONTHS _____, MILES _____
<b>ABOVE VEHICLE BID PRICE - \$</b> _____	<b>TAX \$</b> _____ <b>TOTAL</b>
<b>\$</b> _____	

State days to deliver A.R.O. \_\_\_\_\_

## SPECIFICATION

**2007/2008 ONE (1) TON REGULAR CAB-CHASSIS , DRW 4X4 - AIRPORT**

HIGH ALTITUDE PRINCIPAL USE PACKAGE REQUIRED

<u>ITEM</u>	<u>SPECIFICATION</u>
Quantity	One (1) OR MORE
Wheel base	Min. 84" CA (cab to rear axle) *** For 108" body PLUS 24" KNAP-PACK or Equal – STATE DIMENSIONS _____
GVW	Min 11,000 lbs.
Engine	Min. 6.0L V8 Gasoline _____
Air Conditioning	Factory standard
Battery	Maintenance free HD, factory dual
Alternator	Min. 85 Amp – state rating _____ <b>Max. available</b>
Brakes	Power, anti-lock brake system
Bumper	Chrome, front only
Color	Bright White, state color code # _____
Cooling	Maximum available
Fuel	Gasoline
Fuel Tank	Max. available – <b>STATE CAPACITY</b> - _____
Hubs	Front, manual locking type
Lights	Cargo box light with courtesy switch, Roof clearance
Gauges	Oil, Temp, Volt/Amp minimum
Cigarette lighter	Factory standard
Mirror	Rear view, day/night (inside)
Mirrors	Outside, 2, <b>Power adjustable mirror for towing preferred</b>
Dorr Locks	Power operated
Seats	Cloth, bench with folding back
Floor Mat	Rubber
Radio	AM/FM Stereo , factory standard
Steering	Power, mfg. standard
Shocks	Heavy-duty, gas filled
Tires	Six (6) mud & snow, BSW to meet GVW Req.
Spare tire	Full size, mud & snow to match Front/Rear
Transfer case	Two(2) speed
Transmission	Automatic, 4 speed, electronic, W/ PTO Provision
Axles	Min. 4.10 :1 – <b>STATE RATIO</b> _____
Glass	Factory Tinted, (ALL)
Paint	Bright White – State color # _____
Wipers	min. 2 speed , intermittent
<b>TOW PKG.</b>	<b>TOW COMMAND - BID AS OPTION – COST \$ _____ incl tax</b>
Keys	Four sets (4)
Service Manuals	One (1) set required
Warranty	State – Months _____, Miles _____

**Bid price \$ \_\_\_\_\_ Tax \$ \_\_\_\_\_ Total \$ \_\_\_\_\_**

**State days to deliver A.R.O. \_\_\_\_\_**

**PRESCOTT MUNICIPAL AIRPORT VEHICLE MAKE READY BID OPTION**  
**Replacement for Vehicle 455**

#	ITEM	QTY	Bid
1	Whelen 6 Strobe Mini-Edge Light bar with take down lights	1	
2	Strobes on rear of vehicle	2	
3	Halogen Strobe in the Front and Rear turn signals	1	
4	Radio Console with 3 12v power ports	1	
5	Siren/light controller with PA and Radio capability	1	
6	100W external speaker	1	
7	Icom A200 VHF radio	1	
8	Antenna and wire assembly for Icom A200 VHF radio	1	
9	Front mounted work lights (Move Up/Down Left/Right)	2	
10	Side mounted work lights(one on each side of vehicle Move Up/Down Left/Right)	2	
11	Wire and other Supplies needed for installation	as needed	
12	Labor	1	
13			

SUB TOTAL \$	-
TAX	
Freight	
TOTAL \$	-

**PRESCOTT MUNICIPAL AIRPORT VEHICLE GRAPHICS BID OPTION**  
**Replacement for Vehicle 455**

#	ITEM	QTY	Bid
1	4" Reflective orange stripe	1*	
2	2" OFFICIAL USE ONLY Black Vinyl Copy, Kiss Cut, Weeded and Premasked	2	
3	12" 8 Black reflective numbers, Kiss Cut, Weeded and Premasked	2	
4	4" AIRPORT OPERATIONS Black Scotical, Kiss Cut, Weeded and Premasked	3	
5	City Seal	2*	
6	Installation	1	

\* Item to be provided by the City

SUB TOTAL	\$	-
TAX		
Freight		
TOTAL	\$	-

(F)

**PRESCOTT MUNICIPAL AIRPORT VEHICLE EQUIPMENT BID OPTION**  
**Replacement for Vehicle 455**

#	ITEM	QTY	Bid
1	8' PLATFORM BODY	1	
2	LIFTGATE 1200LBS	1	
3	FOLD DOWN SIDE RAILS	2	
4	BULKHEAD WITH OVERCAB PROTECTOR	1	
5	RECESSED FLOOR MOUNTED D-RINGS	6	
6	UTILITY BOX SIMILAR TO READING REV/PAC #4884	1	
7	DIAMOND PLATING ALL HORIZONTAL SURFACES	1	
8	8' STAINLESS STEEL SNOW PLOW, 29" BLADE HEIGHT, ELECTRIC CONTROLS AND ASSOCIATED EQUIPMENT	1	
9	2" Class 3 Hitch Receiver	1	

SUB TOTAL	\$	-
TAX		
Freight		
TOTAL	\$	-

## SPECIFICATION

2007/2008 MID SIZE 4X4 4 DOOR SPORT UTILITY VEHICLE -Airport

ITEM	SPECIFICATION
QUANTITY	One (1) OR MORE
ENGINE	Minimum 4.0L V6 – STATE ENG SIZE _____
HIGH ALTITUDE PACKAGE	Factory Standard
WHEELBASE	STATE WHEELBASE _____
GVW	Minimum 4000 Lbs.
AIR CONDITIONING	Factory Standard
BRAKES	Power , anti-lock brake system
COOLING	Maximum available
COLOR – EXTERIOR	<b>BRIGHT WHITE – IDENTIFY COLOR CODE #) _____</b>
REAR VIEW MIRROR	Day/Night Inside
GAUGES	ALL (Oil, Water, Volts/Amp, minimum)
BUMPERS	Front , standard – Rear, Factory rear
ALTERNATOR	65 AMP
BATTERY	Maintenance free HD , Max. Available
FUEL	Gasoline
FUEL TANK	Max. available – STATE CAPACITY _____
TRAILER TOWING PACKAGE	<b>CLASS 3 RECEIVER REQUIRED</b>
FUEL TANK	Max. available, indicate capacity
GLASS	All windows factory tinted
WINDOWS	Power operated
LAMPS	Dome , all standard
MIRRORS	Outside , two (2) , POWER ADJUSTABLE
RADIO	AM/FM Stereo minimum
CIGARETTE LIGHTER	Factory Standard
WINDSHEILD WIPERS	Intermittent , 2 speed minimum
SEATS	Cloth, front and rear
FLOOR MAT	Rubber
STEERING	Power , standard
DOOR LOCKS	Power operated
TIRES	(5) Steel belted radials, All Seasons type – LR -C
SPARE	Same as Front/Rear - <b>SPECIFY SIZE OPTIONS</b>
TRANSMISSION	Automatic, 4 speed
AXLES	<b>SPECIFY RATIO OPTIONS &amp; COST</b>
SERVICE MANUALS	(1) set required
KEYS	Four (4) sets
WARRANTY	STATE – MONTHS _____, MILES _____

**BID PRICE Incl. Taxes and Delivery to City of Prescott \$ \_\_\_\_\_**

**STATE DAYS TO DELIVER A.R.O. \_\_\_\_\_**

22

**PRESCOTT MUNICIPAL AIRPORT VEHICLE MAKE READY BID OPTION**  
**Replacement for Vehicles 900 & 918**

#	ITEM	QTY	Bid
1	Whelen 6 Strobe Mini-Edge Light bar with take down lights	1	
2	Strobes on rear of vehicle	2	
3	Halogen Strobe in the Front and Rear turn signals	1	
4	Radio Console	1	
5	Siren/light controller with PA and Radio capability	1	
6	100W external speaker	1	
7	Icom A200 VHF radio	1	
8	Antena and wire assembly for Icom A200 VHF radio	1	
9	Ghill Guard/ Push Bar	1	
10	Front mounted work lights (Move Up/Down Left/Right)	2	
11	Side mounted work lights(One on each side of vehicle Move Up/Down Left/Right )	2	
12	Wire and other Supplies needed for installation	as needed	
13	Labor	1	

SUBTOTAL	\$	-
TAX		
Freight		
TOTAL	\$	-

**PRESCOTT MUNICIPAL AIRPORT VEHICLE GRAPHICS BID OPTION**  
**Replacement for Vehicles 900 & 918**

#	ITEM	QTY	Bid
1	4" Reflective orange stripe	1	
2	2" OFFICIAL USE ONLY Black Vinyl Copy, Kiss Cut, Weeded and Premasked	2	
3	12" 2 and 3 Black reflective numbers, Kiss Cut, Weeded and Premasked	2	
4	4" AIRPORT OPERATIONS Black Reflective, Kiss Cut, Weeded and Premasked	3	
5	City Seal	2*	
6	Installation	1	

\* Item to be provided by the City

SUB TOTAL	\$	-
TAX		
Freight		
TOTAL	\$	-

# SPECIFICATION

## VEHICLE – PFD

Manufacturer: \_\_\_\_\_

Model Identification: \_\_\_\_\_

All unit(s) bid shall meet or exceed the specification listed below. Any exceptions must be noted and explained by each specification.

---

Requirement: Full size police vehicle – CROWN VICTORIA POLICE INTERCEPTER

OPTION BID

OPTION CODE

Wheelbase (min. 113")

Doors (4 doors required)

Engine (min. 4.6L / 8 cylinder)

Air Conditioning

Alternator (min. 130 AMP)

Anti-lock Brakes

Side Curtain Air Bags REQUIRED

Carpet (front and rear)

Cigarette Lighter

Clock

Cooler: Engine Oil

Power Steering

Transmission Fluid

Maximum available

Rear Window Defroster

Glass (all windows tinted)

Lamp:

Luggage Compartment

Under hood

Power Door Locks

Locking System (single key)

Mirrors:

Dual Remote, Outside  
Day/Night, Inside

Police Special Service Package

Radio: (AM / FM / CD Stereo)

Seats:

Heavy Duty Cloth  
Front Bucket (power driver seat w/ lumbar support)

Speedometer: ( Police calibrated to 2 MPH increments)

Tilt Steering Wheel

Cruise Control

Power Steering

Suspension Package (Heavy duty to accommodate min. 400 lbs. trunk weight)

Tires (5 Steel belted radials, BSW, high performance certified police service) Specify size

Automatic Transmission

Trunk Opener (Electric, dash mounted in driver area)

Locking gas cap or filler door REQUIRED

Full Wheel Covers

Power Windows

Windshield Wipers (min. 2 speed, intermittent)

**Color –BRIGHT WHITE – STATE COLOR CODE # \_\_\_\_\_**

**OPTIONAL ITEMS AVAILABLE**

Spotlight, Door mounted \$ \_\_\_\_\_

Manufacturer's Extended Warranty (5 yr/ 75,000 mile) \$ \_\_\_\_\_

All available police packages and equipment \$ \_\_\_\_\_

Silicone Hoses

\$ \_\_\_\_\_

# SPECIFICATION

2007/2008 MID SIZE LWB REGULAR CAB 4X2 PICKUP TRUCK

## ITEM

## SPECIFICATION

QUANTITY One (1) OR MORE  
ENGINE Minimum 3.0L V6 – **STATE ENG SIZE** \_\_\_\_\_  
HIGH ALTITUDE PACKAGE Factory Standard  
WHEELBASE **STATE WHEELBASE** \_\_\_\_\_  
GVW Minimum 4000 Lbs.  
AIR CONDITIONING Factory Standard  
BRAKES Power , anti-lock brake system  
COOLING Maximum available  
COLOR – EXTERIOR Bright White – **IDENTIFY COLOR CODE #)** \_\_\_\_\_  
REAR VIEW MIRROR Day/Night Inside  
GAUGES ALL (Oil, Water, Volts/Amp, minimum)  
BUMPER Front , standard – Rear, Factory rear step  
ALTERNATOR 65 AMP  
BATTERY Maintenance free HD , Max. Available  
FUEL Gasoline  
FUEL TANK Max. available – **STATE CAPACITY** \_\_\_\_\_  
TRAILER TOW PACKAGE **BID AS OPTION – State cost incl taxes \$** \_\_\_\_\_  
FUEL TANK Max. available, indicate capacity  
GLASS All windows factory tinted  
LAMPS Dome , all standard  
MIRRORS Outside , two (2) swing out recreation –Approx. 6 x 9”  
RADIO AM/FM Stereo minimum  
CIGARETTE LIGHTER Factory Standard  
WINDSHEILD WIPERS Intermittent , 2 speed minimum  
SEATS Cloth, bench with folding back  
FLOOR MAT Rubber  
STEERING Power , standard  
TIRES (5) Steel belted radials, All Seasons type – **SPECIFY SIZE / LR**  
\_\_\_\_\_  
SPARE Same as Front/Rear - **SPECIFY SIZE OPTIONS**  
TRANSMISSION Automatic, 4 speed min.  
AXLES **SPECIFY RATIO** \_\_\_\_\_  
SERVICE MANUALS (1) set required  
KEYS Four (4) sets  
WARRANTY STATE – MONTHS \_\_\_\_\_, MILES \_\_\_\_\_

ABOVE VEHICLE BID PRICE - \$ \_\_\_\_\_ TAX \$ \_\_\_\_\_ TOTAL \$ \_\_\_\_\_

State days to deliver A.R.O. \_\_\_\_\_

# SPECIFICATION

2007/08 SMALL 4X2 FRONT WHEEL DRIVE 4 DOOR SUV – Park Ranger – I.T. - PFD

**\*\* (PLEASE BID 4WD VEHICLE AS OPTION TO ABOVE)**

## ITEM

## SPECIFICATION

QUANTITY One (1) OR MORE  
ENGINE Minimum 4 Cyl. Engine – **STATE ENG SIZE** \_\_\_\_\_  
**BID AS OPTION V6 ENGINE, STATE SIZE & COST INCL TAX** \_\_\_\_\_ \$ \_\_\_\_\_  
HIGH ALTITUDE PACKAGE Factory Standard  
WHEELBASE **STATE WHEELBASE** \_\_\_\_\_  
GVW **STATE GVW** \_\_\_\_\_  
GROUND CLEARANCE Min, 8" at lowest point  
AIR CONDITIONING Factory Standard  
BRAKES Power , anti-lock brake system  
COOLING Maximum available  
COLOR – EXTERIOR Bright White – **IDENTIFY COLOR CODE #)** \_\_\_\_\_  
REAR VIEW MIRROR Day/Night Inside  
GAUGES ALL (Oil, Water, Volts/Amp, minimum)  
BUMPER Front , standard – Rear, Factory rear  
ALTERNATOR **STATE AMP OUTPUT RATING** \_\_\_\_\_  
BATTERY Maintenance free HD , Max. Available  
FUEL Gasoline  
FUEL TANK Max. available- **STATE CAPACITY** \_\_\_\_\_  
GLASS All windows factory tinted  
LAMPS Dome , all standard  
MIRRORS Outside , two (2) factory standard  
RADIO AM/FM Stereo minimum  
12 V. D.C. POWER OUTLETS (2) PREFERRED  
WINDSHIELD WIPERS Intermittent , 2 speed minimum  
SEATS Cloth, front and rear  
**\*\*\* Rear fold down seat required to increase cargo area capacity**  
FLOOR MAT Rubber  
STEERING Power , standard  
TIRES (5) Steel belted radials, All Seasons type  
SPARE Same as Front/Rear - **SPECIFY SIZE** \_\_\_\_\_  
TRANSMISSION Automatic  
AXLE(S) **SPECIFY RATIO** \_\_\_\_\_  
SERVICE MANUALS (1) set required  
KEYS Four (4) sets  
**Tow Package – Receiver hitch required - BID AS OPTION – STATE PRICE INCL TAXES** \$ \_\_\_\_\_  
WARRANTY STATE – MONTHS \_\_\_\_\_, MILES \_\_\_\_\_

**STATE MAKE, MODEL & PRICE OF VEHICLE BEING BID -**

**4X2 XLS** \$ \_\_\_\_\_

**4X2 XLT** \$ \_\_\_\_\_

**STATE SAME VEHICLE IN 4X4 VERSION -**

**4X4 XLS** \$ \_\_\_\_\_

**4X4 XLT** \$ \_\_\_\_\_

**STATE DAYS TO DELIVER A.R.O. \_\_\_\_\_**