


PRESCOTT

WATER QUALITY REPORT



Water Treatment



All water produced for distribution undergoes a level of treatment. The City of Prescott is fortunate to draw from high quality aquifers, therefore, the water requires minimal treatment. Water Operations selects a combination of three appropriate treatment processes to reduce the contaminants found in our groundwater and

ensure the delivery of potable water that not only meets safe levels but surpasses state and federal regulations.



The first of the three processes utilizes chlorine for disinfection to prevent the development of bacterial contamination that could occur in the water storage and distribution system.



The second is an ADEQ approved Blending Plan to manage arsenic levels naturally occurring in some wells. A Blending Plan is a process that combines water from various wells with various arsenic levels to achieve a uniform potable water with the lowest detected levels of arsenic possible. This process allows the City to meet daily demands while keeping the levels of arsenic below the regulatory requirement.



The third of the three processes utilizes adsorptive media for the removal of arsenic where water exceeds state quality requirements and blending is not feasible. Currently, the City has one production well with this type of treatment system which maintains arsenic levels below the federal action level standards.

Water Sampling



The City of Prescott monitors and samples for over 100 substances and physical characteristics on a regular basis. Among them, the City pulls 53 Total Coliform tests per month at designated sites throughout the City. The Total Coliform bacteria test is a primary indicator of the suitability for consumption

of drinking water which measures the concentration of Total Coliform bacteria associated with the possible presence of disease-causing organisms.

The City of Prescott pulls 10 Arsenic samples monthly to ensure Arsenic levels stay below Federal and State regulatory limits. Arsenic can enter the water supply from natural deposits in the Earth; here in the southwest the source is the volcanic and granitic rocks that groundwater moves through.





A Note from Water Operations

As your water provider, we serve more than water. We provide customer service, reliability, peace of mind, and protect public health. Our job is to ensure that your safe supply of water keeps flowing not only today, but well into the future. It's all part of our service commitment to you and everyone in our community. The Water Quality Report is a comprehensive report issued by the City of Prescott Water Operations. This annual report identifies the sources of Prescott's drinking water, provides water quality information, and summarizes analytical tests of the City's drinking water supply for Calendar Year 2023. In order to ensure that tap water is safe to drink, the EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. During 2023, water from the City system met all applicable federal and state drinking water health standards.

Source of Water

Groundwater is the sole source of potable water in the City of Prescott. The City produces its water from seven production wells within the Prescott Active Management Area (AMA). These wells are drilled into the confined deep Lower Volcanic Unit of the aquifer underlying the Little Chino Sub-Basin. The water is pumped from the ground through one of the City's seven active wells and treated prior to entering the drinking water distribution system. The water is of excellent quality and the City's production capabilities are sustainable. The wells are pumped in different combinations to meet daily demand. The City's annual average daily demand is 6.44 Million Gallons per Day (MGD). In 2023, Prescott produced (pumped) 7,223 acre-feet of water from the wells and delivered this water to approximately 26,564 service connections through 562 miles of pipeline, 37 remote booster pump stations and 26 water storage tanks throughout the service area.

Applicable Federal and State Requirements

The United States Environmental Protection Agency (EPA) and the Arizona Department of Environmental Quality (ADEQ) require providers of drinking water to annually report the quality of water they deliver. The City of Prescott safeguards its water supplies and once again is pleased to report compliance with prescribed maximum contaminant levels and other water quality standards. The City regularly conducts testing beyond the minimum regulatory requirements to further assure the safety of our drinking water.

Naturally Occurring Contaminants

A contaminant is any physical, chemical, biological, or radiological substance or matter in the water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these contaminants are not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and others may even have nutritional value at low levels.

Source Water Assessment

Based on the information currently available on the hydrogeological settings and the adjacent land uses that are in proximity of the water sources for the City's public water system, the Arizona Department of Environmental Quality has given the City a low-risk designation for the degree to which the drinking water sources are protected. A low-risk designation indicates that most source water protection measures are either already implemented or the hydrogeology is such that additional measures will have little impact on protection.



Where to Learn More about Your Drinking Water

Specific information about this report can be obtained by contacting:

City of Prescott Water Operations

Office Location: 1481 Sundog Ranch Road, Prescott, AZ 86301

Phone: (928) 777-1118

Email: water.operations@prescott-az.gov

Hours of Operation: 7:00 a.m. to 3:30 p.m. Monday—Friday City of Prescott Website: http://www.prescott-az.gov/water-ops/

how-tos-faqs/

Environmental Protection Agency

Safe Drinking Water Hotline: (800) 426-4791

Website: https://www.epa.gov/ground-water-and-drinking-water

 $\textbf{Arizona Department of Environmental Quality} \ (602) \ 771-2300$

Website: www.azdeq.gov/WQD

Water related topics are discussed at City Council meetings and in other forums including the Subcommittee on Water Issues, in which the public can participate. Council meetings are posted at City Hall, 201 N. Montezuma Street, Prescott, Arizona and on the City website.

Follow this link for City Council information:

https://www.prescott-az.gov/prescott-city-clerk/council-meetings/

Frequently Asked Water Questions & Topics

General Water Consumption:

Statistics show that U.S. consumers average between 100 to 160 gallons, per person, per day for all uses. City of Prescott averages 102 gallons per person, per day. Usage can vary greatly based on an individual's particular habits. Between 2 quarts and 1 gallon are consumed for cooking, drinking water and prepared beverages such as coffee and tea. The remainder includes household cleaning, bathing, laundry, outdoor watering and more. Most new low use toilets use about 1.5 gallons per flush, compared to older ones using about 4 gallons per flush. Showers can use anywhere from 2 to 5 gallons per minute and a bath can consume 35+ gallons per use depending on tub size. Outdoor usage generally accounts for the largest volume of water consumed especially during Spring and Summer months.

Water Hardness:

Hardness in drinking water is caused by calcium and magnesium which are two non-toxic, naturally occurring minerals in water. They enter water

Water Hardness Scale

Grains/Gal	ppm	Classification		
Less than 1	Less than 17.1	Soft		
1 - 3.5	17.1 - 60	Slightly Hard		
3.5 - 7	60 - 120	Moderately Hard		
7 - 10	120 - 180	Hard		
over 10	over 180	Very Hard		

mainly through erosion and weathering of rocks. The more these two minerals are in water, the harder the water. Water hardness is usually expressed in parts per million (ppm) or grains per gallon of dissolved calcium and magnesium carbonate. The City's water is considered moderately hard, averaging 75 to 130 ppm, which equals 4.3 to 7.6 grains per gallon. In hard water, lathering of soap for washing is more difficult to do and cleaning becomes less efficient. As a result, more soap or detergent is needed to get things clean, be it your hands, hair, or your laundry. Dull hair, spots on dishes, glasses, faucets and film on shower doors can be related to water that is considered hard in nature.

Water Pressure:

Have you experienced a sudden change or fluctuation in your water pressure? Changes in pressure can be caused by many things. Mineral deposit build-up can reduce the flow in domestic pipes and faucet aerators may become plugged if not regularly cleaned and maintained. A significant water leak can cause a draw on the water line, reducing the volume of water supplied. Another cause, and the most common of water pressure concerns can be related to a pressure regulator valve (PRV). Most PRVs are a dome or bell-shaped fitting with an adjustable screw on top allowing the pressure to be adjusted as necessary. A PRV will typically come with a factory setting of 50 pounds per square inch (PSI). Where do you find a PRV? Depending on the age of your home, if one is installed, may be in the ground by the



water meter in a separate box near a customer shutoff valve, in the garage near a water heater, or a crawl space under the house where the pipes enter the home. Pressure regulator valves are mechanical devices that fail over time. A failing PRV can cause high or low water pressure, even banging or hammering of water pipes, known as "water hammer". These PRVs are the responsibility of the homeowner. Replacing it is a common job performed by plumbers or the experienced handyman. PRVs can be found at most hardware stores.

Customer Shut-Off Valve:

Do you have a water leak and need to turn off water to your house? Do you know if you have a customer shut-off valve and where it might be located? The City water meter is generally located near the street at grade level in a rectangular concrete box with

a metal or plastic lid. Customer shut-off valves are usually located behind the City's meter box in a separate concrete/ plastic box or PVC pipe/tube as shown below in **Fig. 1 and 2.** Typical versions of what may be within the City's meter box and customer box is shown below in **Fig. 3.**





Homeowners/customers should always utilize the customer shut-off valve located in the customer box or tube to shut off water for the service. Alternate locations where a customer shut-off valve may be located are: in a box in close proximity to the home, in a crawl space where the service enters the building, in a water closet or by the water heater. If a customer shut-off valve is not available, always contact Water Operations to turn off water at the City meter. Only City personnel are authorized to operate the City meter shut-off. (PCC 2-1-29) Water Operations can be contacted at (928) 777-1118.



Fig. 2 Fig.

Possible Health Effects of Contaminants in Drinking Water

Arsenic

If Arsenic is less than or equal to the MCL, your drinking water meets EPA's standards. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems. For more information about Arsenic: http://legacy.azdeq.gov/environ/water/dw/download/epa arsenic.pdf

Chlorine

Some people who use water containing Chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing Chloramines well in excess of the MRDL could experience stomach discomfort or anemia.

Nitrates

Nitrates are inorganic substances that are monitored due to run off from fertilizer use. Nitrates in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. "High nitrate levels in drinking water can cause blue baby syndrome." The City of Prescott nitrate levels are well below the maximum contaminant level. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, and detected nitrate levels are above 5 ppm, you should ask advice from your health care provider.

Fluoride

Some people who drink water containing fluoride in excess of the MCL over many years could get bone disease, including pain and tenderness of the bones. Children may get mottled teeth.

Antimony

Some people who drink water containing antimony well in excess of the MCL over many years could experience increases in blood cholesterol and decreases in blood sugar.

Disinfection By-Products

Some people who drink water containing Total trihalomethanes and Haloacetic acids in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of cancer.

Barium

Some people who drink water containing Barium in excess of the MCL over many years may experience an increase in blood pressure.

Copper & Lead

Copper is an essential nutrient however if present in drinking water, short term exposure to elevated levels of copper could cause gastrointestinal distress and prolonged use above the action level could cause liver or kidney damage in some people. If present, elevated levels of lead could cause health issues especially for pregnant women and young children. Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development, slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure. Lead primarily comes from erosion of components associated with service lines and home plumbing. If your water has been sitting for several hours, flushing your tap for 30 seconds or more prior to drinking or cooking can minimize the potential for exposure. Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at https://www.epa.gov/safewater/lead

Radionuclides

They are a group of contaminates consisting of Alpha and Beta/Photon emitters, combined Radium 226 & 228 and Uranium. Certain minerals are radioactive and may emit a form of radiation known as Alpha, Beta or Photon radiation. Some people who drink water in excess of the MCL for this group of contaminates over many years may have an increased risk of getting cancer or in some cases kidney problems. Radon gas is a colorless, odorless and tasteless gas that comes from the natural breakdown of Uranium. Although there is no federal standard for Radon in drinking water The City of Prescott does monitor the Radionuclide group and surpasses mandatory health levels established by the EPA and ADEQ. For more information on Radon: https://www.epa.gov/radon

Contaminants & How They May Be Introduced

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Inorganic contaminants such as salts and metals that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Microbial contaminants such as viruses and bacteria which may come from sewage treatment plants, septic systems, agricultural livestock operations or wildlife.

Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, can also come from gas stations, urban storm water runoff and septic systems.

Pesticides and herbicides which may come from a variety of sources such as agriculture, urban storm water runoff or residential uses.

Radioactive contaminants, such as Radon, Alpha Emitters, Beta/Photon Emitters, combined Radium and Uranium that can be naturally occurring or the result of oil and gas production or mining activities, decay or erosion of natural and man-made deposits.

Total Trihalomethanes and Haloacetic acids are the by-product of drinking water disinfection.



Water Quality Data Report

The Water Quality Data Report Table contains the most recent results for regulated testing. The frequency of sample collection is determined by state and federal regulations and based on many different parameters such as type of water source, number of people served, as well as past and current analyses of the contaminant to be tested. Sample frequency can range between 1 month and 3 years. The City of Prescott is also required to test for unregulated contaminants. The data generated by these tests is used by the EPA to evaluate and prioritize contaminants on the Drinking Water Contaminant Candidate List. Regulated and unregulated contaminants will appear in this report if they are found during testing.

Primary Drinking Water Standards - Mandatory Health-Related Levels Established by EPA and ADEQ

Water Samples Collected from	Violation							
Parameter	Y or N	AL	Number of Samples Over the AL	90th Percentile	Unit	Date	Likely Source of Contamination	
L ead & Copper (Water Sample	s Collected fror	m Qualifying Home	s Based on ADEQ Site S	Selection Criteria in Pr	rescott, AZ)			
ead Results - Homes	N	15	0 of 30	<5.0	ppb	22-Jun	Corrosion of household plumbing systems; erosion of	
Copper Results - Homes	N	1.3	0 of 30	0.072	ppm	22-Jun	natural deposits	
Regulated Substances - Meas	ured from Wat	ter Leaving the Tr	eatment Facilities					
arameter	MCL	MCLG	Highest Level	Range	Unit	Date	Likely Source of Contamination	
RadioChemical Monitoring	4-				0.111	20.1		
Gross Alpha	15	0	2.6	2.9	pCi/L	23-Jan	Erosion of natural deposits	
Combined Radium 226 & 228	5	0	<0.6	<0.6	pCi/L	23-Jan	Erosion of natural deposits	
norganic Compounds							Discharge from netral cum refinering: fire retardants: core	
Antimony	6	6	0.8	ND - 0.8	ppb	22-Jan	Discharge from petroleum refineries; fire retardants; cera ics, electronics and solder	
Arsenic	10	0	10	2.7 - 10.0	ppb	2023	Erosion of natural deposits, runoff from orchards, runoff from glass and electronics production wastes	
Barium	2	2	0.036	ND-0.036	ppm	22-Jan	Discharge of drilling wastes; discharge from metal refiner ies; Erosion of natural deposits	
luoride	4	4	0.29	ND - 0.29	ppm	22-Jan	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
litrate (as N)	10	10	1.87	1.05-1.87	ppm	23-Jan	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
Sodium	No MCL	N/A	14	14	ppm	22-Jan	Erosion of natural deposits	
isinfection Byproduct Monit	oring							
otal Trihalomethane (TTHM)	80	N/A	11.8	3.4-11.8	ppb	23-Jul	Byproduct of drinking water disinfection	
Bromodichloromethane	80	N/A	2.2	0.7-2.2	ppb	23-Jul		
Bromoform	80	N/A	4.2	1.3-4.2	ppb	23-Jul		
Chloroform	80	N/A	0.9	ND-0.9	ppb	23-Jul		
Dibromochloromethane	80	N/A	4.5	1.4-4.5	ppb	23-Jul		
laloacetic Acids (HAA5)	60	N/A	ND	ND	ppb	23-Jul		
Dibromoacetic Acid	60	N/A	1.3	ND-1.3	ppb	23-Jul		
laximum Residual lisinfection Level (MRDL)	MRDL	MRDLG	Highest Detected Level	Range	Unit	Date	Likely Source of Contamination	
hlorine	4.0	<4.0	2.10	0.30 - 2.10	ppm	2023	Water additive used to control microbes	
Biological Monitoring	MCLG	Entire Distr	bution System	Likely Source in Drinking Water	Unit	Date	Major Sources of Water	
otal Coliform - ested monthly	0	,	number of positive mples: 0 in 51	Naturally present in the environment	Absent or Present	2023	Naturally present in the environment	
nregulated Sampling Result								
later Samples Collected from			lauri Dana	1114	Dete	1.96		
arameter CMR5 - Total Metals	PQL	Highest	Level Ranç	je Unit	Date	LIKE	y Source of Ccontamination	
ithium	9	16.1	ND - 1	6.1 ug/L	2023		Lithium mining, the manufacture of batteries and other products using lithium, and recycling of batteries and other products.	
JCMR5 - Semi Volatile Comp	ounds							
FBA	0.004	0.00	5 0.004 - 0).005 ug/L	2023			
FBS	0.003	0.00	7 0.003 - 0	0.007 ug/L	2023			
FHpA	0.003	0.004	4 0.003 - 0	0.004 ug/L	2023		an airfields, military airfields and bases, fire-fighting trainin	
PFHxA	0.003	0.01	0.004 -	0.01 ug/L	2023	Civilia		
	0.000	0.00	7 0.002 ().007 ug/L	2023		sites and fire stations, wastewater treatment works, and landfills	
	0.003	0.00	7 0.003 - 0	1.001 ug/L	2020			
PFHxS	0.003				2023			
PFHxS PFOA PFOS		0.01	ND - 0	.01 ug/L				

Monitoring Requirements For City of Prescott

During the 2023 reporting year, the City of Prescott met all of its monitoring requirements. Please share this information with other people who drink this water, especially those who may not have seen this notification.

Abbreviations & Definitions

ADEQ (Arizona Department of Environmental Quality) - State Regulatory Agency

AL (Action Level) - The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.

EPA (US Environmental Protection Agency) - Federal Regulatory Agency

HAA5 (Haloacetic acids 5) - Five commonly found disinfection byproducts in drinking water.

MCL (Maximum Contaminant Level) - The highest level of a contaminant allowed by the EPA in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level) - The highest level of a disinfectant (chlorine) allowed in drinking water. There is convincing scientific evidence that the addition of a disinfectant is required for the control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal) - The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contamination.

ND (Not Detected) - Concentration too low to be detected

pCi/L (Picocuries per liter) - A measure of the radioactivity in water

ppb (Parts Per Billion) - Or micrograms per liter (μ g/L), 1000 ppb = 1 ppm

ppm (Parts Per Million) - Or milligrams per liter (mg/L), 1mg/L = 1 ppm

ppt: (Parts Per Trillion) - Or nanograms per liter (ng/L)

PQL (Practical Quantitation Limit) - The minimum concentration of an analyte (substance) that can be measured with a high degree of confidence that the analyte is present at or above that concentration



Parts per MILLION:

One postage stamp on the surface of a baseball diamond



Parts per

The width of one human hair in the span of 68 miles



Parts per TRILLION: 1 cent in 10 billion dollars

What is PFAS?

The US Environmental Protection Agency (EPA) issues health advisories for contaminants that it does not regulate but which may pose a risk to public health. PFOA and PFOS, collectively known as PFAS, are in the category of emerging contaminants that the EPA monitors, but does not regulate; therefore, these are health advisories. On March 14, 2023 the EPA made a proposal to establish a national standard for PFAS in drinking water which is based off the best available science, and would help provide states with the guidance they need to make decisions that best protect their communities. The proposal, if finalized, would regulate PFOA and PFOS as individual contaminants, and will regulate four other PFAS – PFNA, PFHxS, PFBS, and GenX Chemicals – as a mixture.

- PFOA and PFOS: EPA is proposing to regulate PFOA and PFOS at a level they can be reliably measured at 4 parts per trillion.
- PFNA, PFHxS, PFBS, and GenX Chemicals: EPA is also proposing a regulation to limit any mixture containing one or more of PFNA, PFHxS, PFBS, and/or GenX Chemicals. For these PFAS, water systems would use an established approach called a hazard index calculation, defined in the proposed rule, to determine if the combined levels of these PFAS pose a potential risk.

If finalized, the proposed regulation will require public water systems to monitor for these chemicals. It will also require systems to notify the public and reduce PFAS contamination if levels exceed the proposed regulatory standards.

For the latest EPA updates regarding PFAS, visit www.epa.gov/pfas

PFAS are a group of manufactured chemicals that have been used in industry and consumer products since the 1940s because of their useful properties. There are thousands of different PFAS, some of which have been more widely used and studied than others.

Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS), for example, are two of the most widely used and studied chemicals in the PFAS group. PFOA and PFOS have been replaced in the United States with other PFAS in recent years.

One common characteristic of concern of PFAS is that many break down very slowly and can build up in people, animals, and the environment over time.

More information and test results regarding PFAS can be found on the City of Prescott website at https://www.prescott-az.gov/water-ops/water-quality/

